Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.



Inited States
Department of
Agriculture

Forest Service


North Central Forest Experiment Station

Resource Bulletin NC - 182



Iowa Timber Industry – An Assessment of Timber Product Output and Use, 1994

Ronald J. Piva



North Central Forest Experiment Station
Forest Service—U.S. Department of Agriculture
1992 Folwell Avenue
St. Paul, Minnesota 55108
Manuscript approved for publication May 27, 1997
1997

FOREWORD

This bulletin reports findings of a survey of all primary wood-using mills in Iowa in 1994. Details of the industry's size, composition, its use of round-wood, and its generation and disposition of residues are discussed. Such detailed information is necessary for intelligent planning and decisionmaking in wood procurement, forest resource management, forest industry development, and forest research.

Special thanks are given to the primary wood-using firms that supplied information for this study and to Dennis Michel, Utilization and Marketing Forester with the Iowa Department of Natural Resources (DNR), who coordinated the mill survey. Thanks are also given to the Iowa DNR District Foresters who canvassed the wood-using firms. All their cooperation is greatly appreciated.

In this bulletin, all volumes are reported in product-specific standard units and/or cubic feet. When necessary, volumes reported by mills in nonstandard units were converted to standard units using regional conversion factors. Reported trends and changes in the Iowa primary wood-using industry are based on comparisons with the previous survey conducted in 1988. Row and column data of tables may not sum due to rounding, but data in each table cell are accurately displayed.

CONTENTS

	Page
Highlights	1
Primary Wood-Using Industry	1
Industrial Roundwood Production	
Timber Removals for Industrial Roundwood	3
Primary Mill Residues	4
Appendix	5
Study Methods	5
Definition of Terms	5
Common and Scientific Names of Tree Species	
Mentioned in This Report	7
Table Titles	8
Tables	9

Iowa Timber Industry—An Assessment of Timber Product Output and Use, 1994

Ronald J. Piva

HIGHLIGHTS

PRIMARY WOOD-USING INDUSTRY

- In 1994, Iowa's primary wood-using industry was comprised of 69 sawmills, 1 veneer mill, and 1 pulp mill (table 1 and fig. 1).
- There were four more sawmills in 1994 than in 1988. The majority of the mills are small sawmills that process less than 1 million board feet of saw logs per year. Sixty of the 69 sawmills were in the two Eastern Survey Units of Iowa.




Figure 1.—Forest Survey Units and number of mills by type and county, Iowa, 1994.

Ronald J. Piva, Forester, received a B.S. degree in forest management from the University of Missouri-Columbia. He joined the Forest Service in 1987, and has been working with the North Central Station's Forest Inventory and Analysis Unit since.

- The 69 sawmills processed nearly 19 million cubic feet of roundwood in 1994 (table 2).
- Iowa received 27 percent of its industrial roundwood from other States in 1994.
 Illinois sent 2.0 million cubic feet, Wisconsin sent 1.5 million cubic feet, Missouri shipped 1.1 million cubic feet, and Minnesota and Nebraska combined sent 0.4 million cubic feet. Forty-four percent of these imports were red oaks and white oaks.

INDUSTRIAL ROUNDWOOD PRODUCTION

- In 1994, 16.4 million cubic feet of industrial roundwood products were cut from Iowa's forest lands—an increase of 30 percent from 1988 (table 3).
- As with the previous surveys in 1972, 1980, and 1988, all of the softwood production in 1994 went into saw logs. Softwood production increased from 3 thousand cubic feet in 1988 to 21 thousand cubic feet in 1994.
- Hardwoods accounted for nearly 100 percent of Iowa's industrial roundwood production in 1994. Five species groups (red oak, cottonwood, white oak, soft maple, and black walnut) accounted for 81 percent of the total industrial roundwood production in 1994.
- The Northeast Unit led the State in industrial roundwood production in 1994 with 8,643 thousand cubic feet, followed by the Southeast Unit with 6,488 thousand cubic feet, the Southwest Unit with 988 thousand cubic feet, and the Northwest Unit with 243 thousand cubic feet (table 4 and fig. 2).
- Five counties—Clayton, Allamakee, Lee, Dubuque, and Fayette—accounted for 39 percent of all industrial roundwood produced in the State (table 5).
- Iowa exported 1,005 thousand cubic feet of industrial roundwood to Wisconsin in 1994. The other major importers of industrial roundwood from Iowa were Nebraska (792 thousand cubic feet), Minnesota (262 thousand cubic feet), Missouri (202 thousand cubic feet), and Illinois (169 thousand cubic feet) (table 6).




Figure 2.—Industrial roundwood production by Forest Survey Unit, Iowa, 1988 and 1994.

- Saw-log production accounted for 91 percent of the total industrial roundwood production in 1994. Pulpwood and veneerlog production accounted for 5 percent and 3 percent of the total industrial roundwood production, respectively.
- Production of saw logs in 1994 increased 37 percent from 1988, while ve neer-log production rose 5 percent and pulpwood production fell 15 percent (tables 7, 8, and 9, and fig. 3).




Figure 3.—Industrial roundwood production by product, Iowa, 1988 and 1994.

TIMBER REMOVALS FOR INDUSTRIAL ROUNDWOOD

- In the process of harvesting industrial roundwood, 27 million cubic feet of woody material were removed from Iowa's forest lands in 1994 (table 10).
- Just under 60 percent of the total woody material harvested was used for wood products, the rest was left on the ground (fig. 4).
- Of the total volume harvested, 60 percent came from growing stock; the rest was from non-growing-stock material, which includes limbwood, saplings, cull trees, dead trees, and nonforest trees.
- Seventy-six percent of the growing stock harvested came from sawtimber-size trees, while only 4 percent came from poletimbersize trees. The remaining 20 percent of the

- growing stock harvested was left on the ground as logging residue.
- There were 16,478 thousand cubic feet of hardwoods harvested from growing stock and 21 thousand cubic feet of softwoods harvested (table 11).
- Sawtimber removals from timberland rose 23 percent, from 54,955 thousand board feet in 1988 to 67,750 thousand board feet in 1994 (table 12).
- Only 30 percent of the non-growing-stock harvested was used for industrial roundwood products; the rest was left on the ground as logging slash.
- Cull trees accounted for 52 percent of the non-growing-stock volume that was used for roundwood products, followed by nonforest trees with 30 percent, limbwood with 14 percent, dead trees with 4 percent, and saplings with less than 1 percent.




Figure 4.—Distribution of timber removals for industrial roundwood by source of material, Iowa, 1994.

 There was a total of 11,077 thousand cubic feet of logging residue and logging slash after the harvest of industrial roundwood in 1994 (table 13).

PRIMARY MILL RESIDUES

- In 1994, 262 thousand green tons of residues were generated by the State's primary wood-using industry in the process of converting industrial roundwood into products (table 14).
- Coarse wood residue such as slabs, edgings, and veneer cores accounted for 51 percent of the total residue material. Fine wood residue such as sawdust and veneer clippings accounted for 27 percent, and bark residue accounted for the remaining 22 percent (fig. 5).
- More than half (52 percent) of this residue volume was used for miscellaneous purposes such as bedding, litter, and mulch.
 Forty-six percent of the residue volume used for miscellaneous purposes was made up of fines; bark made up 30 percent of the volume and coarse residue made up 24 percent.




Figure 5.—Distribution of residues generated by primary wood-using mills by type of residue. Iowa. 1994.

- Thirty-percent of mill residues were used as fuel, of which 64 percent was domestic fuel.
 Most of the remaining mill residues, 18 percent, were used for fiber products.
 Coarse residues made up the majority of the residue used for both fuel and fiber products (fig. 6).
- In 1994, only 2 percent of the mill residues generated in the State went unused, but in 1988, 17 percent of the mill residues generated went unused.




Figure 6.—Distribution of residues generated by primary wood-using mills by method of disposal, Iowa, 1994.

APPENDIX

STUDY METHODS

This study was a cooperative effort of the Iowa Department of Natural Resources (Iowa DNR) and the North Central Forest Experiment Station (NCFES). Using mail questionnaires supplied by NCFES and designed to determine the size and composition of a State's primary wood-using industry, its use of roundwood, and its generation and disposition of wood residues, the Iowa DNR canvassed all primary wood-using mills within the State. Followups to nonresponding mills using additional mailings, telephone, and personal contacts were made by the Iowa DNR until a 100percent response was achieved. Completed questionnaires were sent to NCFES for editing and processing.

As part of data editing and processing, all industrial roundwood volumes reported on the questionnaires were converted to standard units of measure using regional conversion factors. Timber removals by source of material and harvest residues generated during logging were estimated from standard product volumes using factors developed from logging utilization studies previously conducted by NCFES. Finalized data on Iowa's industrial roundwood receipts were loaded into a regional timber removals database and supplemented with data on out-of-State uses of Iowa's roundwood to provide a complete assessment of Iowa's timber product output.

DEFINITION OF TERMS

- **Board foot.**—Unit of measure applied to roundwood. It relates to lumber that is 1 foot long, 1 foot wide, and 1 inch thick (or its volume equivalent).
- **Central stem.**—The portion of a tree between a 1-foot stump and the minimum 4.0-inch top diameter outside bark or the point where the central stem breaks into limbs.
- **Coarse mill residue.**—Wood residue suitable for chipping such as slabs, edgings, and veneer cores.
- **Commercial species.**—Tree species presently or prospectively suitable for industrial wood

- products. (Note: Excludes species of typically small size, poor form, or inferior quality such as hophornbeam, Osage-orange, and redbud.)
- **Cull removals.**—Net volume of rough and rotten trees, plus the net volume in sections of the central stem of growing-stock trees that do not meet regional merchantability standards, harvested for industrial roundwood products.
- **Dead removals.**—Net volume of dead trees harvested for industrial roundwood products.
- Diameter at breast height (d.b.h.).—The outside bark diameter at 4.5 feet above the forest floor on the uphill side of the tree. For determining breast height, the forest floor includes the duff layer that may be present, but does not include unincorporated woody debris that may rise above the ground line.
- **Fine mill residue.**—Wood residue not suitable for chipping such as sawdust and veneer clippings.
- Forest land.—Land at least 16.7 percent stocked by forest trees of any size, or formerly having had such tree cover, and not currently developed for nonforest use. (Note: Stocking is measured by comparing specified standards with basal area and/or number of trees, age or size, and spacing.) The minimum area for classification of forest land is 1 acre. Roadside, streamside, and shelterbelt strips of timber must have a crown width of at least 120 feet to qualify as forest land. Unimproved roads and trails, streams, or other bodies of water or clearings in forest areas shall be classed as forest if less than 120 feet wide.
- Growing-stock removals.—The growing-stock volume removed from the timberland inventory by harvesting industrial roundwood products. (Note: Includes sawtimber removals, poletimber removals, and logging residues.)

- **Growing-stock tree.**—A live timberland tree of commercial species that meets specified standards of size, quality, and merchantability. (Note: Excludes rough, rotten, and dead trees.)
- **Growing-stock volume.**—Net volume of growing-stock trees 5.0 inches d.b.h. and over, from 1 foot above the ground to a minimum 4.0-inch top diameter outside bark of the central stem or to the point where the central stem breaks into limbs.
- **Hardwoods.**—Dicotyledonous trees, usually broad-leaved and deciduous.
- Harvest residues.—The total net volume of unused portions of trees cut or killed by logging. (Note: Includes both logging residues and logging slash.)
- Industrial roundwood products.—Saw logs, pulpwood, veneer logs, poles, commercial posts, piling, cooperage logs, particleboard bolts, shaving bolts, lath bolts, charcoal bolts, and chips from roundwood used for fuel, pulp, or board products.
- **Industrial roundwood production.**—The quantity of industrial roundwood harvested in a geographic area.
- **Industrial roundwood receipts.**—The quantity of industrial roundwood received by commercial mills in a geographic area.
- International 1/4-inch rule.—A log rule or formula for estimating the board foot volume of logs, allowing 1/2-inch of taper for each 4-foot length. The rule appears in a number of forms that allow for kerf. In this form, a 1/4-inch of kerf is assumed. This rule is used as the USDA Forest Service standard log rule in the Eastern United States.
- Limbwood removals.—Net volume of all portions of a tree other than the central stem, (including forks, large limbs, tops, and stumps) harvested for industrial roundwood products.
- **Logging residue.**—Net volume of unused portions of the merchantable central stem of growing-stock trees cut or killed by logging.

- **Logging slash.**—Net volume of unused portions of the unmerchantable (non-growing-stock) sections of trees cut or killed by logging.
- **Merchantable sections.**—Sections of the central stem of growing-stock trees that meet either pulpwood or saw-log specifications.
- **Net volume.**—Gross volume less deductions for rot, sweep, or other defects affecting use for roundwood products.
- **Noncommercial species.**—Tree species of typically small size, poor form, or inferior quality that normally do not develop into trees suitable for industrial roundwood products. Classified in volume tables as rough trees.
- Nonforest land.—Land that has never supported forests, and land formerly forested where use for timber management is precluded by development for other uses. (Note: Includes areas used for crops, improved pasture, residential areas, city parks, improved roads of any width and adjoining clearings, powerline clearings of any width, and 1- to 39.9-acre areas of water classified by the Bureau of the Census as land. If intermingled in forest areas, improved roads and nonforest strips must be more than 120 feet wide and more than 1 acre to qualify as nonforest land.)
- Nonforest land removals.—Net volume of trees on nonforest lands harvested for industrial roundwood products.
- **Poletimber.**—A growing-stock tree at least 5.0 inches d.b.h. but smaller than sawtimber size (9.0 inches d.b.h. for softwoods, 11.0 inches d.b.h. for hardwoods).
- **Poletimber removals.**—Net volume in the merchantable central stem of poletimber trees harvested for industrial roundwood products.
- **Primary wood-using mills.**—Mills receiving roundwood or chips from roundwood for processing into products.

- Primary wood-using mill residue.—Wood materials (coarse and fine) and bark generated at manufacturing plants from round-wood processed into principal products. These residues include wood products (byproducts) obtained incidental to production of principal products and wood materials not utilized for some byproduct.
- **Rotten tree.**—A tree that does not meet regional merchantability standards because of excessive unsound cull.
- **Rough tree.**—A tree that does not meet regional merchantability standards because of excessive sound cull. Includes noncommercial tree species.
- **Roundwood.**—Logs, bolts, or other round sections cut from trees (including chips from roundwood).
- **Sapling.**—A live tree between 1.0 and 5.0 inches d.b.h.
- **Sapling removals.**—Net volume in saplings harvested for industrial roundwood products.
- **Saw-log portion.**—That portion of the central stem of sawtimber trees between the stump and the saw-log top.
- **Saw-log top.**—The point on the central stem of sawtimber trees above which a saw log cannot be produced. The minimum saw-log top is 7.0 inches d.o.b. for softwoods and 9.0 inches d.o.b. for hardwoods.
- Sawtimber removals.—As used in table 10, sawtimber removals refers to the net volume in the merchantable central stem of sawtimber trees harvested for industrial roundwood products. (Note: Includes the saw-log and upper-stem portions of sawtimber trees.) In the case of sawtimber volume removed from timberland inventory as in table 12, sawtimber removals refers to the net volume in the saw-log portion of sawtimber trees harvested for roundwood products or left on the ground as harvest residue, and is usually expressed in thousands of board feet (International 1/4-inch rule).
- **Sawtimber tree.**—A growing-stock tree containing at least a 12-foot saw log or two

- noncontiguous saw logs 8 feet or longer, and meeting regional specifications for freedom from defect. Softwoods must be at least 9.0 inches d.b.h. and hardwoods must be at least 11.0 inches d.b.h.
- **Softwoods.**—Coniferous trees, usually evergreen, having needles or scale-like leaves.
- **Tree.**—A woody plant usually having one or more perennial stems, a more or less definitely formed crown of foliage, and a height of at least 12 feet at maturity.
- **Timberland.**—Forest land that is producing, or is capable of producing, in excess of 20 cubic feet per acre per year of industrial roundwood products under natural conditions, is not withdrawn from timber utilization by statute or administrative regulation, and is not associated with urban or rural development.
- **Timber product output.**—The volume of roundwood products produced from an area's forests.
- **Timber removals.**—The total net volume of trees removed for industrial roundwood products or left on the ground as harvest residues.
- **Upper stem portion.**—That portion of the central stem of sawtimber trees between the saw-log top and the minimum top diameter of 4.0 inches outside bark or to the point where the central stem breaks into limbs.
- **Veneer log.**—Logs to be used in the production of plywood, finished panels, or veneer sheets, both rotary cut and sliced.

COMMON AND SCIENTIFIC NAMES OF TREE SPECIES MENTIONED IN THIS REPORT

SOFTWOODS

Eastern redcedar Juniperus virginiana Red pine Pinus resinosa Eastern white pine Pinus strobus HARDWOODS

Ash

White ash	Fraxinus americana
Black ash	Fraxinus nigra
Green ash	Fraxinus pennsylvanica

Aspen	
Balsam poplar	Populus balsamifera
	Populus grandidentata
	Populus tremuloides
	Tilia americana
Birch	
	Betula papyrifera
	Betula nigra
	Prunus serotina
	Robinia pseudoacacia Juglans nigra
	Juglans cinerea
	Populus deltoides
Elm	opaius aetioaes
	Ulmus americana
	Ulmus rubra
	Celtis occidentalis
Hickory	
Shellbark hickory	Carya laciniosa
Shagbark hickory	Carya ovata
	Carya tomentosa
	Carya cordiformis
	Gleditsia triacanthos
Hard maple	
	Acer nigrum
_	Acer saccharum
Soft maple	
-	Acer rubrum
	Acer saccharinum
Red oak	Outprove Tuber
	Quercus rubra Quercus ellipsoidalis
	Guercus empsomans Quercus imbricaria
_	Quercus urwricaria Quercus palustris
	Guercus palastris Quercus velutina
White oak	gacreas vetatura
	Quercus alba
	Quercus bicolor
	Quercus macrocarpa
	Quercus muehlenbergii
	Quercus stellata
	Platanus occidentalis
Tupelo	
Black gum	Nyssa sylvatica
	var. biflora
Black willow	Salix nigra

Table Titles

- Table 1.—Number of active primary woodusing plants, Iowa, 1972, 1980, 1988, 1994
- Table 2.—Industrial roundwood receipts by species group and State of origin, Iowa, 1994

- Table 3.—Industrial roundwood production by type of product and hardwoods and softwoods, Iowa, 1972, 1980, 1988, 1994
- Table 4.—Industrial roundwood production by Forest Survey Unit, species group, and type of product, Iowa, 1994
- Table 5.—Industrial roundwood production by Forest Survey Unit, county, and species group, Iowa, 1994
- Table 6.—Industrial roundwood production by Forest Survey Unit, species group, and State of destination, Iowa, 1994
- Table 7.—Saw-log production by species group, lowa, 1972, 1980, 1988, 1994
- Table 8.—Veneer-log production by species group, Iowa, 1972, 1980, 1988, 1994
- Table 9.—Pulpwood production by species group, lowa, 1972, 1980, 1988, 1994
- Table 10.—Material harvested for industrial roundwood by source of material and species group, lowa, 1994
- Table 11.—Growing-stock removals from timberland for industrial roundwood by Forest Survey Unit, county, and species group, Iowa, 1994
- Table 12.—Sawtimber removals from timberland for industrial roundwood by Forest Survey Unit, county, and species group, lowa, 1994
- Table 13.—Residue generated by industrial roundwood harvesting by Forest Survey Unit, county, and species group, Iowa, 1994
- Table 14.—Residues produced at primary wood-using mills by type of material, type of use, and Forest Survey Unit, Iowa, 1994

Table 1.--Number of active primary wood-using plants, lowa, 1972, 1980, 1988, and 1994

Kind of mill				
and mill size	1972	1980	1988	1994
Sawmills				
Large 1/		2	3	5
Medium 2/	48	20	27	22
Small 3/	12	19	35	42
Total	60	41	65	69
Cooperage mills	1	1		
Veneer mills	2	1	1	1
Pulp mills	2	2	1	1
All mills	65	45	67	71

^{1/} Annual lumber production in excess of 5 million board feet.

^{2/} Annual lumber production from 1 million to 5 million board feet.

^{3/} Annual lumber production less than 1 million board feet.

Table 2.--Industrial roundwood receipts by species group and State of origin, Iowa, 1994

(In thousand cubic feet)

				State of	origin		
Species group	Total	Illinois	lowa	Minnesota	Missouri	Nebraska	Wisconsin
SOFTWOODS							
Eastern redcedar	10	~~	10				
Red pine	1		1			00-00-	
White pine	10		10				
Total	21		21				
HARDWOODS							
Soft maple	2,889	246	2,352	11	231		49
Hard maple	765	54	613	9	4		84
River birch	25	3	21		1		
Hickory	428	151	210	5	17		45
Hackberry	185	8	160	3	4		10
Ash	537	50	411	3	16		56
Honeylocust	5		5				
Butternut	4		4				
Black walnut	1,459	41	1,079	1	215	63	60
Tupelo	5				5		
Sycamore	67	14	44		8		
Cottonwood	3,259	551	2,370	108	175	5	50
Aspen	93	00 00	55	17			21
Black cherry	113	10	92		(1/)		11
Red oak	4,384	416	2,980	108	213		668
White oak	3,085	287	2,287	41	182	1	288
Black locust	3		3				
Willow	33		20	3			9
Basswood	843	31	639	43	7		123
Elm	471	132	291	1	25		21
Other hardwoods	2		2				
Total	18,653	1,994	13,639	353	1,102	70	1,495
All species	18,674	1,994	13,661	353	1,102	70	1,495

^{1/} Less than 500 cubic feet.

Table 3.--Industrial roundwood production by type of product and hardwoods and softwoods, lowa, 1972, 1980, 1988, 1994

(In thousand cubic feet)

		Softwoods	spoc			Hardwoods	spoo			All species	cies	
Product	1972	1972 1980 2/ 1988 2/	1988 2/	1994	1972	1980 2/	1988 2/	1994	1972	1980 2/	1988 2/	1994
Saw logs	17	(3/)	ဗ	21	8,987	10,621	10,816	14,886	9,004	10,621	10,819	14,907
Cooperage logs	1	1	:	:	102	558	:	69	102	558	:	69
Veneer logs	:	:	:	:	1,157	712	522	572	1,157	712	522	572
Pulpwood	ł	:	:	1	2,441	1,320	1,225	814	2,441	1,320	1,225	814
Miscellaneous 1/	:	1	1		232	:	1		232	1	1	1
Total	17	(3/)	3	21	12,919	13,211	13,211 12,563	16,340	12,936	13,211	12,566	16,362
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	and and and		1									

Includes plants producing shavings, chips, etc.
 Data for 1980 and 1988 are estimates based on trend data and related studies.
 Less than 500 cubic feet.

Table 4.--Industrial roundwood production by Forest Survey Unit, species group, and type of product, lowa, 1994 1/

- 4		0.01	0. 5 6	~	_
	 _	ωi	NI	100	~

Name
MBF 2/ MCF 3/ MBF 2/ MCF 3/ Cords 4/ MCF 3/ MBF 2/ MCF 3/ MCF 3/ SOFTWOODS
SOFTWOODS Eastern redcedar 37 10
SOFTWOODS Eastern redcedar 37 10
Eastern redcedar 37 10 <
Red pine 7 1 <th< td=""></th<>
White pine 58 10
Total 102 21
HARDWOODS Soft maple 13,889 2,288 81 19 1,754 139 2,4 Hard maple 4,721 778 51 12 146 12 8 River birch 78 13 108 9 Hickory 1,158 191 1 (5/) 372 29 2 Hackberry 985 162 Ash 2,491 410 2 1 541 43 4 Honeylocust 35 6 Butternut 25 4 1,3 Black walnut 5,769 1,263 902 127 1,3
Soft maple 13,889 2,288 81 19 1,754 139 2,48 Hard maple 4,721 778 51 12 146 12 8 River birch 78 13 108 9 Hickory 1,158 191 1 (5/) 372 29 Hackberry 985 162 Ash 2,491 410 2 1 541 43 Honeylocust 35 6 Butternut 25 4 Black walnut 5,769 1,263 902 127
Hard maple 4,721 778 51 12 146 12 8 River birch 78 13 108 9 Hickory 1,158 191 1 (5/) 372 29 Hackberry 985 162 Ash 2,491 410 2 1 541 43 Honeylocust 35 6 Butternut 25 4 Black walnut 5,769 1,263 902 127 1,3
River birch 78 13 108 9 108 Hickory 1,158 191 1 (5/) 372 29 20 100 100 100 100 100 100 100 100 100
Hickory 1,158 191 1 (5/) 372 29 2 Hackberry 985 162
Hackberry 985 162 </td
Ash 2,491 410 2 1 541 43 24 Honeylocust 35 6
Honeylocust 35 6 Butternut 25 4 1,3 Black walnut 5,769 1,263 902 127 1,3
Butternut 25 4 1,3 Black walnut 5,769 1,263 902 127 1,3
Black walnut 5,769 1,263 902 127 1,3
Sycamore 248 41 61 5
Cottonwood 19,644 2,778 84 19 4,634 366 3,1
Aspen 381 63 1 (5/)
Black cherry 647 107 46 10 9 1 :
Red oak 18,235 3,246 340 78 1,372 108 3,4
White oak 14,057 2,502 1,165 266 702 55 416 69 2,8
Black locust 18 3
Willow 124 20
Basswood 4,417 728 156 36 49 4 7
Elm 1,684 277 18 4 548 43 3
Other hardwoods 48 8
Total 88,655 14,886 2,848 572 10,298 814 416 69 16,3
All species 88,757 14,907 2,848 572 10,298 814 416 69 16,3

(Table 4 continued on next page)

(Table 4 continued)

NORTHEAST UNI	н	
---------------	---	--

			Ven	eer			-		All
Species group	Saw	logs	log	gs	Pulpy	vood	Соор	erage	products
	MBF 2/	MCF 3/	MBF 2/	MCF 3/	Cords 4/	MCF 3/	MBF 2/	MCF 3/	MCF 3/
SOFTWOODS		11101 0			00,00 1,	11101 07	11101 23	11101 07	10101
Eastern redcedar	13	3							3
Total	13	3							3
Hardwoods									
Soft maple	3,503	577	81	19	1,541	122			717
Hard maple	4,580	754	51	12	127	10			776
River birch	26	4			43	3			8
Hickory	549	90	1	(5/)	333	26			117
Hackberry	445	73							73
Ash	1,571	259	2	1	349	28			287
Butternut	24	4							4
Black walnut	2,915	638	766	108					746
Sycamore	32	5			61	5			10
Cottonwood	3,107	439	42	10	3,905	308			757
Aspen	381	63	1	(5/)					63
Black cherry	477	79	42	10					88
Red oak	12,370	2,202	340	78	603	48			2,327
White oak	8,166	1,454	1,062	243	331	26	416	69	1,791
Black locust	18	3							3
Willow	72	12							12
Basswood	3,386	558	156	36					593
Elm	1,332	219	18	4	478	38			261
Other hardwoods	32	5							5
Total	42,984	7,438	2,562	519	7,770	614	416	69	8,639
All species	42,996	7,442	2,562	519	7,770	614	416	69	8,643

MO	DT	LIVA	EC.	7 1	TIMI

			NON	III WEST	Olati				
			Ver	neer					All
Species group	Saw	logs	lo	gs	Pulpv	wood	Соор	erage	products
	MBF 2/	MCF 3/	MBF 2/	MCF 3/	Cords 4/	MCF 3/	MBF 2/	MCF 3/	MCF 3/
HARDWOODS	WIDI Z	WICT 5/	10101 2	10101 0/	00145 47	10101 0/	IVIDI Z	10101 37	WOI 3/
Soft maple	22	4							4
Black walnut	3	1							1
Cottonwood	1,363	193							193
Red oak	6	1							1
White oak	226	40							40
Basswood	26	4							4
Other hardwoods	1	(5/)							(5/)
Total	1,646	243						•	243
All species	1,646	243							243

(Table 4 continued on next page)

SOUTHEAST UNIT

			Veneer						All
Species group	Saw	logs	logs		Pulpv	vood	Соор	erage	products
	MBF 2/	MCF 3/	MBF 2/	MCF 3/	Condo 4/	MCE o/	MDE 0/	1405.04	1105.01
SOFTWOODS	MBF 2/	MCF 3/	MBF Z/	MCF 3/	Cords 4/	MCF 3/	MBF 2/	MCF 3/	MCF 3/
Eastern redcedar	18	5							-
Red pine	7	1							5
White pine	57	10							1
Total	82	16							10
	02	10							16
HARDWOODS	10.054	4.050			010				
Soft maple	10,054	1,656	·	 (= 0	212	17			1,673
Hard maple	141	23	(5/)	(5/)	20	2			25
River birch	52	9			66	5			14
Hickory	600	99			39	3			102
Hackberry	516	85							85
Ash	862	142			193	15			157
Honeylocust	25	4							4
Butternut	1	(5/)							(5/)
Black walnut	2,177	476	137	19					496
Sycamore	216	36							36
Cottonwood	10,203	1,443			729	58			1,500
Black cherry	167	28	3	1	9	1			29
Red oak	5,772	1,027			770	61			1,088
White oak	5,518	982	103	24	370	29			1,035
Willow	52	9							9
Basswood	982	162			49	4			166
Elm	289	48	1	(5/)	70	6			53
Other hardwoods	6	1							1
Total	37,633	6,229	244	44	2,528	200			6,472
All species	37,715	6,245	244	44	2,528	200			6,488

COL	ITCH!	NEST	LIMIT

			Ven	eer					All
Species group	Saw	logs	log	gs	Pulpy	wood	Соор	erage	products
	MBF 2/	MCF 3/	MBF 2/	MCF 3/	Cords 4/	MCF 3/	MBF 2/	MCF 3/	MCF 3/
SOFTWOODS									
Eastern redcedar	6	2						**	2
White pine	1	(5/)							(5/)
Total	7	2		**					2
HARDWOODS									
Soft maple	310	51							51
Hickory	10	2							2
Hackberry	25	4							4
Ash	58	10							10
Honeylocust	10	2							2
Black walnut	674	148							148
Cottonwood	4,972	703	42	10					713
Black cherry	3	(5/)							(5/)
Red oak	87	16							16
White oak	147	26							26
Basswood	23	4		**					4
Elm	63	10							10
Other hardwoods	10	2							2
Total	6,392	977	42	10					986
All species	6,400	979	42	10					988

^{1/} Excludes removals for fuelwood and posts.

^{2/} Thousand board feet International 1/4-inch rule.

^{3/} Thousand cubic feet.

^{4/} Standard cords, unpeeled. A standard cord contains 128 cubic feet including wood, bark, and air space. Average solid wood is 79 cubic feet per standard cord.

^{5/} Less than 1/2 unit of measure.

Table 5.-- Industrial roundwood production by Forest Survey Unit, county, and species group, Iowa, 1994

(In thousand cubic feet)

Forest Survey Unit	Eastern	Red	White	Soft	Hard	River				Honey-		Black
and county	redcedar	pine	pine	maple	maple	birch	Hickory	Hackberry	Ash	locust	Butternut	walnut
NORTHEAST UNIT												
Allamakee				59	185		18	5	43		(1/)	136
Benton	1			26	(1/)		(1/)	2	2		(1/)	6
Black Hawk	(1/)			1	(1/)			(1/)	1		(1/)	1
Bremer				15	14		3	6	6			2
Buchanan	1			5	(1/)			(1/)	1		(1/)	1
Butler				2	7		1	3	2			
Cedar				8	14	(1/)	2	1	3		**	29
Chickasaw				2	7		1	3	5			(1/)
Clayton				47	291		28	13	72		1	192
Clinton				4	3		1	1	3			1
Delaware				15	20	(1/)	2	4	26		(1/)	78
Dubuque				130	38	3	29	1	27			28
Fayette				11	99		6	7	32		1	96
Floyd				1	3		1	2	1			1
Grundy												
Howard				1					6			(1/)
Jackson				31	14	(1/)	6	3	6			21
Johnson				24	(1/)	2	5	5	3			26
Jones				17	23	(1/)	3	3	9			41
Linn	(1/)			53	(1/)		(1/)	1	7		(1/)	28
Mitchell				(1/)								(1/)
Scott				29	(1/)	2	5	5	4			(1/)
Tama	1			218	(1/)		2	6	5		(1/)	36
Winneshiek				20	56		3	(1/)	20			23
Total	3			717	776	8	117	73	287		4	746
NORTHWEST UNIT												
Cerro Gordo												
Emmet												
Franklin												
Humboldt				(1/)								
Kossuth												
Lyon												
Plymouth												
Sioux												
Winnebago												
Worth				3								1
Wright												
Total				4								1

(Table 5 continued on next page)

Forest Survey Unit	Eastern	Red	White	Soft	Hard	River				Henry		DI- 1
and county	redcedar						1.12-1	1111		Honey-		Black
SOUTHEAST UNIT	redcedar	pine	pine	maple	maple	birch	Hickory	Hackberry	Ash	locust	Butternut	walnut
				50								
Appanoose	1			58			3	2	4			11
Boone			(1/)	45	3		(1/)	1	4			7
Clarke	1	**		10				(1/)	(1/)			4
Dallas	1		(1/)	20	(1/)		(1/)	(1/)	2	(1/)		1
Davis			1	34			2	1	5			16
Decatur				2			(1/)	(1/)	(1/)	(1/)		6
Des Moines		***		94	3	2	8	5	17			14
Guthrie			**	(1/)		••	(1/)	(1/)	(1/)	(1/)	**	
Hamilton				8	1				1			1
Hardin				4	2		2	7	2			1
Henry	(1/)	(1/)	(1/)	75	(1/)	3	12	8	11			41
lowa				70	(1/)	1	6	9	5			45
Jasper	(1/)			20	(1/)			1	(1/)		(1/)	11
Jefferson	(1/)	(1/)	(1/)	84	(1/)	(1/)	4	(1/)	` . 8			35
Keokuk	1	(1/)	(1/)	144	(1/)	3	13	12	13			42
Lee	(1/)	(1/)	(1/)	434	3	2	15	3	21			65
Louisa		**		43	(1/)	(1/)	3	(1/)	10		**	46
Lucas	1		••	19				1	1		**	12
Madison					••	**		••				
Mahaska				95	(1/)	••	6	3	6			5
Marion				21	3		3	7	4			4
Marshall				8	2		2	6	2			(1/)
Monroe		-		19	(1/)		1	1	4			
Muscatine				54	3	2	6	7	4			13
Polk		••		23						3		3
Poweshiek									(1/)			1
				5	(1/)	(1/)	1	(1/)	(1/)			9
Story			**	2	(1/)	**			(1/)			1
Van Buren	(1/)			58	(1/)	1	5	1	12			30
Wapello	••		7	74	(1/)		2	1	6			17
Warren				10	**		**			**		
Washington				95	(1/)	1	8	5	9			40
Wayne	••			20	••	**		1	1	**		11
Webster _				25	2		**		3			5
Total	5	1	10	1,673	25	14	102	85	157	4	(1/)	496
SOUTHWEST UNIT												
Cass			**		**	**			**	**		19
Crawford						••	**			**		
Fremont	••				**			2				
Greene	1		(1/)	19					1			1
Harrison				10			(1/)	(1/)	7	(1/)		28
Mills	(1/)		**	(1/)	••	••						24
Monona			**					(1/)				3
Montgomery		**		(1/)								19
Page				(1/)	**							(1/)
Pottawattamie	(1/)		••	19	••		1	1	1	1		24
Ringgold	(1/)	••	••	3								2
Shelby												19
Taylor												2
•				**		**						
Union												7
Woodbury Total	(1/)		(1/)	51	••		2	4	10	2		(1/) 148
			(1/)	5.1			.,	4				148

(Table 5 continued on next page)

Forest Survey Unit		Cotton-		Black	Red	White	Black				Other	All
and county	Sycamore	wood	Aspen	cherry	oak	oak	locust	Willow	Basswood	Elm ha	rdwoods	species
NORTHEAST UNIT	•											
Allamakee		44	23	16	483	381		5	148	44	2	1,593
Benton	(1/)	38		(1/)	17	16		2	1	1		113
Black Hawk	(1/)	1		(1/)	10	5		(1/)	1	1		23
Bremer		5	5		22	37			3	1		118
Buchanan	(1/)	4		(1/)	16	14		(1/)	1	1	(1/)	45
Butler		5	2		10	17						51
Cedar	(1/)	12		2	56	24			8	4		164
Chickasaw		2	2		17	3 5			1	3		79
Clayton		16	12	27	714	442		1	153	51	2	2,063
Clinton		11		1	8	7			3	1		45
Delaware		11		9	128	82			66	31	(1/)	472
Dubuque	5	308		5	218	123			26	38	ìí	981
Fayette		37	9	6	228	176		1	79	28	1	818
Floyd		1	1	(1/)	5	15						32
Grundy		4										4
Howard		7	1		18	48			4	8		92
Jackson	(1/)	(1/)		8	40	46			20	4		200
Johnson	ž	69		(1/)	39	43			2	2		221
Jones	(1/)	12		` 6	63	30			16	12		234
Linn	(1/)	3		2	32	38	1	(1/)	4	3		174
Mitchell		3										4
Scott	2	59		1	34	41			3	2		187
Tama		78		(1/)	20	17	2	2	5	4		397
Winneshiek		27	8	` ź	145	154		1	51	24		535
Total	10	757	63	88	2,327	1,791	3	12	593	261	5	8,643
NORTHWEST UNIT	ī				•	,						
Cerro Gordo		1			(1/)	(1/)						1
Emmet		1			`	`						1
Franklin		4				25						28
Humboldt		11			(1/)	7			2			20
Kossuth		74				7			2			83
Lyon		4										4
Plymouth		82										82
Sioux		4										4
Winnebago		1									(1/)	1
Worth		10			(1/)	2						16
Wright		4										4
Total		193		••	1	40			4		(1/)	243

(Table 5 continued on next page)

orest Survey Unit		Cotton-		Black	Red	White	Black				Other	Α
nd county	Sycamore	wood	Aspen	cherry	oak	oak	locust	Willow	Basswood	Elm ha	rdwoods	specie
OUTHEAST UNIT												
Appanoose	(1/)	31		(1/)	31	40			3	(1/)		185
Boone		27	**	1	39	15	**		18	1		162
Clarke		37		(1/)	5	8					**	66
Dallas		19		(1/)	3	2			(1/)	**	(1/)	5
Davis	(1/)	30		(1/)	28	64			3	(1/)		18
Decatur		17		(1/)	(1/)	2			(1/)		(1/)	28
Des Moines	3	72		1	76	47		1	9	5	(1/)	355
Guthrie	**	5			••				(1/)		(1/)	(
Hamilton		12		(1/)	10	4	••	**	7	(1/)	**	44
Hardin		12		**	4	4			2	(1/)		4
Henry	3	130		1	88	90			12	4	(1/)	479
Iowa	3	72		2	34	43		3	9	5	(17)	30
Jasper		22		1	7	4			2	1		69
Jefferson	2	46		1	30	39		**	2	1	**	25
Keokuk	4	154		2	103	105		1	7	6		60:
Lee	7	190	••	5	126	94		1	22	6	(1/)	99
Louisa	1	32		1	32	32			6	4	(1/)	210
Lucas	'	15		(1/)	15	23			(1/)	4		88
Madison		(1/)		(17)					(1/)			
Mahaska	3	76		1	52	53		1	4			(1/
										3		30
Marion	**	61		1	38	26			4	(1/)	**	17:
Marshall		22	**	(1/)	5	5		(1/)	2	1	**	5
Monroe		42	••	1	47	41			3	1		17:
Muscatine	5	71		3	73	59			6	5		304
Polk		10		(1/)	(1/)	20				(1/)		54
Poweshiek	(1/)	41		1	32	25		(1/)	1	(1/)	**	117
Story	••	4			2	1						10
Van Buren	1	44		2	59	53			16	3	(1/)	286
Wapello	2	68		1	61	62			4	1		306
Warren		29		**		(1/)						39
Washington	2	87		1	44	46		1	7	4		350
Wayne		11		(1/)	13	21			1			80
Webster		12		1	29	7	••		16	1		99
Total	36	1,500		29	1,088	1,035		9	166	53	1	6,488
OUTHWEST UNIT												
Cass			**			(1/)			**			19
Crawford		4				ìí			••		**	
Fremont		5			2	2						12
Greene		5	**		2	2	••		(1/)	1		3
Harrison		507			1	9	**		(1/)	9	(1/)	574
Mills		15			3	3			('' /	(1/)		46
Monona		94			1	4				(1/)		102
Montgomery	**				(1/)	(1/)				(1/)		20
Page		1	••	(1/)	(1/)	1				(1/)		- (
		4		(1/)	3	1	-	-	1	(17)	1	58
Pottawattamie	••) }
Ringgold		1		**	(1/)	2		**	(1/)			
Shelby				**	**	(1/)		••		**	••	1:
Taylor	••								1			
Union			••	**								
Woodbury		78	**	(1/)	1	(1/)						8
Total		713		(1/)	16	26		**	4	10	2	988
tate total	46	3,163	63	118	3,432	2,893	3	20	767	325	8	16,362

State total

1/ Less than 500 cubic feet.

Table 6.-Industrial roundwood production by Forest Survey Unit, species group, and State of destination, lowa, 1994

(In thousand cubic feet)

					ALL UNITS	INITS						
						State of destination	stination					Other
Species group	Total	Illinois	Indiana	lowa	Kansas	Minnesota	Missouri	Nebraska	Ohio	S. Dakota	Wisconsin	countries
SOFTWOODS												
Eastern redcedar	0	1	!	10	:	1	;	1	:	1	:	١
Red pine	-	ł	ı	-	!	:	:	;	1	1	1	ı
White pine	10	1	1	10	1	1	1	:	1	:	:	:
Total	21	1	:	21	:	:	:	1	;	1		:
HARDWOODS												
Soft maple	2,445	;	-	2,352	:	;	54	8	;	1	35	ı
Hard maple	801	1	ო	613	:	10	1	ŀ	က	:	172	ı
River birch	21	;	:	21	:	:	1	ŀ	1	:	:	1
Hickory	220	;	(1 ₎	210	1	ტ -	4	:	1	:	ო	:
Hackberry	162	:	ł	160	ł	ı	:	2	:	1	(1)	1
Ash	454	0	ო	411	1	က	-	7	1	1	8	1
Honeylocust	9	;	ı	5	i	:	_	:	:	:	:	i
Butternut	4	;	;	4	:	:	1	;	;	:	1	1
Black walnut	1,390	36	58	1,079	74	2	74	4	13	:	36	14
Sycamore	46	:	ı	44	:	:	-	1	:	;	:	1
Cottonwood	3,163	10	ı	2,370	:	:	16	746	:	Ξ	10	1
Aspen	63	ŀ	ı	22	;	က	;	1	:	1	5	ı
Black cherry	118	16	(1)	95	:	:	:	:	:	1	6	1
Red oak	3,432	49	2	2,980	;	91	24	2	1	1	278	:
White oak	2,893	42	59	2,287	:	130	21	14	_	:	319	20
Black locust	ဗ	ŀ	ı	က	i	1	ì	:	:	1	i	ı
Willow	20	1	1	20	1	:	ì	ì	:	;	1	i
Basswood	191	!	2	639	:	18	4	2	:	ı	103	1
Elm	325	0	(1)	291	:	က	-	6	2	ŀ	15	-
Other hardwoods	8	5	-	2		:	:	1	:	1	1	:
Total	16,340	169	133	13,639	74	262	202	792	19	11	1,005	34
All species	16,362	169	133	13,661	74	262	202	792	19	11	1,005	34
										(Table 6	(Table 6 continued on next page)	next page)

ed)
Ę.
8
9
Φ
ap
L

NORTHEAST UNIT

			The second desired in the second desired desir									
Species group	Total	Illinois	Indiana	lowa	Kansas N	Minnesota	Missouri	Nebraska	Ohio	S. Dakota	Wisconsin	countries
SOFTWOODS Fastern redoedar	ď	:	:	m	:	:	:	:	:			
	0 6	:	1	6		:	:	:	1			
	o)								
Soft maple	717	:	(1)	682	:	:	:	;	1	:	35	:
Hard maple	9//	:	ო	288	;	10	:	:	2	;	172	;
River birch	80	:	;	80	;	;	:	;	;	1	;	:
Hickory	117	:	(1)	Ξ	:	က	:	ŧ	1	*	က	:
Hackberry	73	1	1	73	;	:	:	:	1	•	(1)	:
Ash	287	2	2	258	:	က	:	:	:	;	20	:
Butternut	4	:	1	4	•	•	:	•	:	1	1	;
Black walnut	746	23	49	268	45	2	:	1	=	;	36	12
Sycamore	10	:	:	9	:	:	:	:	:		+	*
Cottonwood	757	-	:	746	;	1	:	1	1	:	10	:
Aspen	63	:	;	55	:	က	:	;	;	;	2	:
Black cherry	88	13	(1)	92	:	:	:	;	:	į	6	:
Red oak	2,327	35	4	1,919	;	91	:	1	:	1	278	:
White oak	1,791	53	41	1,253	;	130	:	;	-	;	319	17
Black locust	က	:	1	က	;	;	:	;	;	1	;	:
Willow	12	:	:	12	;	:	:	:	1	1	;	:
Basswood	593	1	2	471	;	18	1	;	•	:	103	:
Elm	261	2	(1)	238	:	က	:	:	2	:	15	_
Other hardwoods	2	4	-	:	:	:	:	:	1	1	:	1
Total	8,639	114	103	7,064	45	262	:	:	16		1,005	30
All species	8,643	114	103	7,068	45	262	1	1	16	:	1,005	30
					NORTHWEST UNIT	T UNIT						
						State of destination	stination					Other
Species group	Total	fllinois	Indiana	lowa	Kansas N	Minnesota	Missouri	Nebraska	Ohio	S. Dakota	Wisconsin	countries
HARDWOODS												
Soft maple	4	;	:	4	:	:	:	4 0	:	*	•	:
Black walnut	-	1	;	-	:	:	1	;	:	:	:	:
Cottonwood	193	;	:	104	;	:	:	78	;	=======================================	1	
Redoak	-	;	:	-	:	:	:	:	:	;	;	:
White oak	40	:	1	40	;	;	:	;	;	1	1	8
Basswood	4	:	:	4	1	:	•	:	i	1	;	:
Other hardwoods	(1)		(1)	:	:	:	:	:	:	1	:	1
Total	243	:	(1)	154	:	:	:	78	:	11	4	0.0
All species	243	:	(1)	154	:	:	:	78	1	1	:	:

•	ed (
:	₹
	8
-	9
	0
Į	(Tab

SOUTHEAST UNIT

Species group SOFTWOODS Eastern redcedar Red pine White pine White pine HARDWOODS Soft maple Hard maple River birch Hickory Hackberry Ash Honeylocust Buttermut Black walnut Sycamore Cottonwood Black cherry Red coak 1,6	1,673 1,673 25 1,673 25 102 85 157 1,500 1,500 1,500 1,088 1,035 1,035 1,035 1,035 1,6472 6,4488		(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	0wa 1,618 1,618 1,618 38 388 388 388 388 1,049 982 982 982 982 982 1,049	Kansas Minnesota	Imnesota Missou	Missouri 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Nebraska	Ohio (1) (1) (1)	S. Dakota V	Wisconsin	2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
d ut st			30 (3) (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4	1,618 1,618 1,618 1,618 1,618 1,049			1 1 1 2 2 4 1 1 1 1 1 1 2 1 1 1 1 1 1 1					1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
cedar t	5 10 16 16 17 17 17 17 17 17 17 17 17 17 18 18 18 18 19 19 19 19 19 19 19 19 19 19 19 19 19		30 (5) (5) (7) (7) (8) (9) (9) (9) (9) (9) (9) (9) (9) (9) (9	1,618 1,618 1,618 1,618 1,618 1,618 1,049			1 1 1 2 2 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1		111 (2) 1111 (3) 111 (3)			111 11111111111111111111111111111111111
	10 10 25 25 25 114 102 85 85 157 496 36 36 29 088 035 53 53 472 53	1 1 1 1 1 1 4 1 1 1 1 1 1 2 1 1 2 1 1 1 2 1 1 1 2 1 1 1 2 1	30 (5) (5) (7) (7) (8) (8) (9) (9) (9) (9) (9) (9) (9) (9) (9) (9	1,618 1,618 1,618 1,618 1,619 1,049			1 1 1 2 2 1 1 4 1 1 1 1 1 2 2 1 2 1 4 1 1 1		(3)			11 11111110115
# # ~ >	10 25 25 25 114 102 85 157 496 36 29 088 035 9 9 166 53 53	1	30 (5) (5) (7) (7) (8) (8)	10 16 16 16 16 16 16 16 16 16 16 16 16 16			1		(3)			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
+ + - ×	16 25 25 114 102 85 157 1496 36 29 088 035 9 166 53 166 53	1 1 1 1 1 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 (5) (5) 1 1 1 0 0 1 1 (5) 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1618 25 25 14 151 3 (1/) 388 388 388 1,475 1,049 982 982 982 1,049			. 45 4		(£)			
# # ~ <i>></i>	673 25 25 102 85 85 157 4 4 (1/) 496 29 088 035 9 166 53 4472	1 1 1 1 4 1 1 1 1 2 1 8 8 1 4 4 1 1 1 1 1 2 1 1 1 2 1 1 1 2 1 1 1 2 1	30 (3) (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4	1,618 25 25 14 38 38 38 38 1,475 1,049 982 982 982 1,049			45 : 1 4 : L L : 56 L 51 : 1 4 L : 1		(£)			111111111111111111111111111111111111111
naple maple spirch sty berry ylocust rrnut more nnwood c cherry	673 25 114 1102 85 85 1157 496 36 29 088 035 9 9 1166 53	7 1 1 1 4 4 1 1 55 1 8 8 5 4 5 5 1 1 5 5 2 2 2 2 2 2 2 2 2 2 2 2 2 2	30 (3) (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4	1,618 25 27 14 151 1,475 1,049 982 982 982 1,049			45 : 1 4 : L L 1 56 L 51 : 1 4 L L 1 .		(5)			111111111111111111111111111111111111111
maple birch by berry ylocust rrnut more nnwood c cherry	25 102 85 85 157 14 (1/) 496 88 008 008 035 166 53 53	1 1 1 4 1 1 1 1 1 2 1 1 1 1 1 1 1 1 1 1	30 (3) (3) (4) (4) (4) (6) (7) (6) (7)	25 14 15 1,475 1,049 982 982 1,049 1,049 982 982 982			1 1 4 1 1 1 1 6 2 1 9 1 1 7 1 7 1 7 1 1 1 1 1 1 1 1 1 1 1		(5)			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
birch berry berry ylocust rrnut more nnwood c cherry	14 85 85 1157 4 496 500 29 088 035 53 166 53 166 53 88	1 1 1 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	30 (3) (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4	98 85 151 33 1,475 1,049 982 982 982 982 982			141-165-51-4-1			111111111111111		11111101110112
berry berry berry ylocust rmut more more nnwood c cherry	102 85 157 14 4 (11) 1496 29 088 035 9 9 166 53 166 53 166 17 188	1 1 4 1 1 1 1 1 2 1 1 1 2 1 1 1 1 1 1 1	30 (5) (5) (7) (7)	98 85 151 1,475 1,049 982 982 982 982 1,049			4 1 1 1 2 2 1 1 4 1 1		1 1 1 1 1 2 1 1 1 1 (2) 1			11111011101151
berry ylocust rrut (walnut more nnwood c cherry oask	85 4 4 (17) 496 36 500 29 0088 0035 9 166 53 472 170 188	+ + + + + + + + + + + + + + + + + + +	30 (5) (5) 1 4 1 (5) 1 9 1 1 1 30	85 151 151 1,475 1,049 982 982 982 1,049			1 - 1 : 62 - 1 : 4 - 1 :		1 1 1 1 2 1 1 1 1 (2) 1			1 1 1 1 2 1 1 1 1 1 1 2 1 2 1 2
ylocust rnut (walnut more nnwood c cherry s aak	157 4 4 496 36 500 29 9 9 166 53 177 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	4 + 1 1 1 2 1 4 4 1 1 1 2 1 1 2 1 1 1 2 1 1 2 1 1 1 2 1 1 1 1 2 1	30	151 (1/) 388 1,475 1,049 982 982 992 161	8		1 1 1 2 2 4 7 1 4 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		1 1 1 2 1 1 1 (2) 1			1 1 1 2 1 1 1 1 8 1 1 2 1 2
	(17) 496 36 36 500 29 0088 035 9 166 53 472 472	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	30	3 (1/) 388 34 1,475 1,049 982 9 161			1 : 50 · 1 · 2 · 4 · · · · · · · · · · · · · · · ·	1 1 1 1 1 1 1 1 1 1	1 1 2 1 1 1 1 5 1	1 1 1 1 1 1 1 1 1 1 1		1 1 2 1 1 1 1 8 1 1 2 1 2
	(1 <i>i</i>) 496 36 500 29 088 035 9 166 53 472	+ 1	30 (1) (1) (2) (1) (3)	(1) 388 34 1,475 26 1,049 982 982 982 161	: % : : : : : : : :		: 59 16 16 16 17 18 18 18 18 18 18 18 18 18 18 18 18 18	11111111	1 0 1 1 1 1 5 1	111111111		101116115
	496 36 500 29 088 035 9 166 53 472	13 8 8 1 1 2 1 1 2 1 1 2 1 2 1 2 2 1	30 (13) 1 4 - (2) 1 9	388 34 1,475 1,049 982 982 982 161	8		59 16 16 17 18 18 18 18 18 18 18 18 18 18 18 18 18	1111111	8	11111111		2 1 1 1 8 1 1 5 1 2
	36 500 29 088 035 9 166 53 1	12 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	30 (3) (3) (4) (4) (4)	34 1,475 1,049 982 9 161 52			16 1 24 1 1 4 1 1 1	111111	1 1 1 (5)	1111111		1 1 1 1 6 1 1 5 1
	500 29 088 035 9 166 53 1	8 14 14 15 15 15 15 15 15 15 15 15 15 15 15 15	30 (15) 1 4 1 (2) 1	1,475 26 1,049 982 9 161 52			16 24 21 24 4 1 1	1 1 1 1 1 1		1 1 1 1 1 1 1		11161151
≿	29 088 035 9 166 53 1	(1) (1) (2) (2) (2) (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4	30 (1) (1) (1)	26 1,049 982 9 161 52			1 2 2 4 1 1 4 1 1 1	1 1 1 1 1	- : (£) :	1 1 1 1 1 1		
	035 035 9 166 53 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	14 12 12 17 (1) (1) 55 55	(1) (1) (2) (2) (3)	1,049 982 9 161 52	1111		24 1 24 1	1 1 1 1	· (1)	1 1 1 1 1	1 1 1 1 1 1	
	035 9 166 53 1 1 472 488	12	(1)	982 9 161 52	1 1 1 1		21 + 4 - 1	: : :	(1)	1 1 1 1	1 1 1 1 1	8 (±)
	9 166 53 1 472 488	(1)	30	9 161 52	1 1 1	1 1 1 1	' 4 to '	1 1	:	1 1 1	1 1 1 1	· · (£) : c
	166 53 1 472 488	(1) (1) 55 55	30 (1)	161 52 1	1 1		4 - 1	:		1 1	: : :	: (1)
Basswood	53 1 472 488	(1) (1) 55	30 (1)	52	:	1 1 1	- ;		:	;	1 1	(1)
Elm	1 472 488	(1)	30	-		: :	:	:	(1)		:	1 40
Other hardwoods	472	55	ဓ		:	:		-	:	!		LC.
	488	22		6,171	23		186	:	2	1	-	1
All species 6,4			30	İ	23	1	186	:	2	:	;	5
					SOUTHWEST UNIT	T UNIT						
						State of destination	stination					Other
	Total	Illinois	Indiana	lowa	Kansas M	Minnesota	Missouri	Nebraska	Ohio	S. Dakota V	Wisconsin	countries
SOFT WOODS				(
ıcedar	N s	:	!	N 6	:	:	:	1	;	1	1	ı
White pine		:	:	(i)	:	:	:	•	:	:	:	:
SOCOMOGAL	7	:	:	7	:	:	1	!	:	ł	:	:
RADWOODS	ŭ			40				c				
Soft maple	- c	:	1	1 0	:	!	:	0	:	:	:	!
Hickory	7 -	1	:	N C	:	:	:	۱ ۹	!	:	1	:
Наскрепу	4 ;	1	:	N I	:	:	!	71	1	1	1	:
Ash	0	1	1	က	1	1	:	/	1	:	1	1
	7	1	:	2	:	1	1	!	1	1	1	!
	148	1	(3)	122	9	1	5	4	1	1	1	1
	713	;	:	45	;	:	:	899	:	1	:	:
Black cherry	(1)	1	1	(1)	1	1	:	;	!	1	:	1
Redoak	16	1	;	10	:	:	:	2	1	1	1	1
White oak	56	:	1	12	:	:	1	14	i	1	:	:
Basswood	4	1	;	2	1	1	;	2	1	:	1	1
Elm	10	;	:	-	:	:	1	6	:	1	;	:
Other hardwoods	2	;	1	2	:	1	1	•	:	1	+	:
	986	;	(1)	250	9	:	15	714	1	1	1	:
All species	886	:	(1)	252	9	:	15	714	-	1	:	:

Table 7.--Saw-log production by species group, Iowa, 1972, 1980, 1988, and 1994

(In thousand board feet) 1/

•	1070	1000			Change
Species group	1972	1980	1988	1994	1988-1994
SOFTWOODS					
Eastern redcedar		3	10	37	27
Red pine	2		4	7	3
White pine	103	**	4	58	54
Total	105	3	18	102	84
Hardwoods					
Soft maple	6,474	5,089	5,077	13,889	8,812
Hard maple	1,568	3,367	3,275	4,721	1,446
River birch	472	152	10	78	68
Hickory	783	447	432	1,158	726
Hackberry	568	498	284	985	701
Ash	1,649	1,636	1,867	2,491	624
Black walnut	2,669	5,025	3,649	5,769	2,120
Cottonwood	10,774	12,831	14,582	19,644	5,062
Aspen	188	305	24	381	357
Black cherry	113	132	252	647	395
Red oak	11,079	16,470	21,394	18,235	-3,159
White oak	6,508	12,118	10,743	14,057	3,314
Willow	438	233	7	124	117
Basswood	2,205	2,185	1,724	4,417	2,693
Elm	7,808	2,866	1,144	1,684	540
Other hardwoods	93	118	83	374	291
Total	53,389	63,472	64,547	88,655	24,108
All species	53,494	63,475	64,565	88,757	24,192

^{1/} International 1/4-inch rule.

Table 8.--Veneer-log production by species group, lowa, 1972, 1980, 1988, and 1994

(In thousand board feet) 1/

			· · · · · · · · · · · · · · · · · · ·		Change
Species group	1972	1980	1988	1994	1988-1994
Soft maple	122	24	572	81	-491
Hard maple	216	14		51	51
Ash	111	57		2	2
Black walnut	1,238	1,795	1,084	902	-182
Cottonwood	84	23	27	84	57
Black cherry			3	46	43
Red oak	920	1,132	383	340	-43
White oak	19	672	405	1,165	760
Basswood	252	84	208	156	-52
Elm	440		8	18	10
Other hardwoods	613		10	2	-8
Total	4,015	3,801	2,700	2,848	148

^{1/} International 1/4-inch rule.

Table 9.--Pulpwood production by species group, lowa, 1972, 1980, 1988, 1994

(In standard cords, unpeeled)

					Change
Species group	1972	1980	1988	1994	1988-1994
Roundwood					
Softwoods	1	61	1	1	1
Soft hardwoods	10,062	6,169	12,408	7,164	-5,244
Hard hardwoods	20,837	10,554	3,239	3,134	-105
Total	30,899	16,784	15,647	10,298	-5,349
Residue		=			
Softwoods	11,482	4,986	1	1	1
Hardwoods	12,237	22,539	10,163	11,617	1,454
Total	23,719	27,525	10,163	11,617	1,454
All material	54,618	44,309	25,810	21,916	-3,894

Table 10.--Material harvested for industrial roundwood by source of material and species group, lowa, 1994 1/

(In thousand cubic feet)

		Growin	Growing stock				Non-o	Non-growing stock	٠					
	Used for products	odiicts	Logging	Total		pesil	Used for products	a a a a a a a a a a a a a a a a a a a		- paippo I	Total pon-			
		Pole-	residue	growing			Onl	Dead	Nonforest		growing	Total	Total	Total
Species group	Sawtimber	timber	(not used)	stock	Limbwood	Saplings	trees	trees	trees	(not used)	stock	nsed	not used	harvested
SOFTWOODS														
Eastern redcedar	က	5	_	6	_	(2)	Ø	(5)	:	2	ω	10	9	16
Red pine	-	(2)	(2)	_	(2)	:	(2)	:	1	-	-	-	-	2
White pine	10	(2)	1	11	(2)	:	(2/)	:		5	Ŋ	10	9	16
Total	13	5	က	21	-	(2/)	2	(2)	1	11	13	21	13	8
Scft maple	1.789	141	718	2.618	42	ĸ	161	8	335	1.506	2.050	2 445	2 2 2 4	4 668
Hard maple	604	20	244	898	10	(2)	53	(2)	114	512	689	801	756	1,557
River birch	14	2	4	20	8	(2)	2	ରି	2	0	14	21	13	8
Hickory	151	20	09	231	9	-	14	(2)	28	126	175	220	185	406
Hackberry	123	က	51	177	0	:	1	:	24	107	143	162	158	320
Ash	331	19	129	479	-	_	32	(5)	9	270	374	454	400	853
Honeylocust	4	(S	01	9	(2)	1	(2)	:	_	4	5	9	9	11
Butternut	ღ	(2)	-	4	(2)	;	(2)	:	_	က	4	4	4	89
Black walnut	. 635	1	87	721	1	:	541	:	215	256	1,011	1,390	342	1,732
Sycamore	32	4	13	48	~	(2)	က	(5)	9	27	37	46	40	85
Cottonwood	2,630	200	452	3,281	257	13	29	S	1	1,315	1,648	3,163	1,766	4,929
Aspen	48	_	20	69	_	1	4	:	6	41	55	63	61	124
Black cherry	92	2	8	128	_	1	7	(5)	16	70	94	118	104	222
Red oak	2,787	106	687	3,580	62	7	410	92	1	1,551	2,090	3,432	2,237	5,670
White oak	2,405	74	562	3,040	44	_	320	20	•	1,197	1,611	2,893	1,759	4,651
Black locust	8	(2)	-	က	(2)	;	(2)	;	(2)	Ø	ო	က	က	9
Willow	16	(2)	9	52	(2)	1	_	:	က	14	18	50	50	40
Basswood	290	13	231	833	89	;	20	(2)	107	479	643	792	200	1,477
Elm	229	23	88	339	თ	_	22	-	41	183	256	325	270	295
Other hardwoods	9	(2)	3	6	(2)	-	1	**	1	5	7	8	8	16
Total	12,490	598	3,391	16,478	454	25	1,690	123	961	7,673	10,926	16,340	11,064	27,404
All species	12,504	603	3,393	16,500	455	25	1,692	123	961	7,684	10,939	16,362	11,077	27,439
1/ Factors for determining the amount of wood in each category are based on regional utilization studies	ing the amount	t of wood i	n each catego	ry are base	d on regiona	l utilization stu	idies.							

2/ Less than 500 cubic feet.

Table 11.--Growing-stock removals from timberland for industrial roundwood by Forest Survey Unit, county, and species group, Iowa, 1994

(In thousand cubic feet)

Forest Survey Unit	Eastern	Red	White	Soft	Hard	River	History Hastbern	yorborn	Ach	Honey-	Buttorout	Black
AND THE ACT HAIT	reacedar	DILIE	BIIIG	liapie	IIIapie		LIICHOIN	achuelly	100	ISCOSI I	DOUGILIO	Wallot
HINEASI UNII				i.	C		ć	(Ţ		(1)	c
Allamakee	:	:	;	62	202	1	02	، م	74	1	(r)	83
Benton	-	i	:	28	(1)	1	(1)	0	ო	:	(1)	က
Black Hawk	(1)	1	:	-	(1)	:	:	(1)	-	:	(1)	(1)
Bremer	:	:	;	16	15	:	က	7	7	:	:	-
Buchanan	-	1	:	2	(1)	;	;	(1)	-	:	(1)	_
Butler	;	:	;	7	7	:	-	თ	2	:	1	1
Cedar	1	;	;	6	15	(1)	2	-	က	:		14
Chickasaw	;	;	:	2	7	:	-	ღ	2	:	4	(1)
Clayton	;	;	:	51	317	:	31	4	79	1	-	103
Clinton	;	;	:	4	က	1	-	-	က	:	1	_
Defaware	;	;	:	14	22	(1)	2	4	56	:	(1)	37
Dubuque	;	;	:	109	39	က	24	-	24	:	1	15
Fayette	;	:	;	12	108	:	7	8	35	:	-	49
Floyd	:	1	!	-	4	;	-	2	-	:	1	(1)
Grundy		:	1	:	;	:	:	;	:	:	;	:
Howard	ŀ	:	!	-	1	:	:	1	7	:	1	(1)
Jackson	;	:	1	33	15	(1)	9	ෆ	7	:	1	19
Johnson	;	1	:	56	(1)	2	2	2	က	:	1	12
Jones	:	:	;	16	25	(1)	ღ	ღ	8	:	1	20
Linn	(1)	:	:	28	(1)	1	(1)	-	8	:	(1)	13
Mitchell	;	1	;	(1)	;	:	;	;	1	:	:	(1)
Scott	:	;	1	32	(1)	2	2	2	4	•	:	(1)
Tama	-	1	:	237	(1)	:	2	7	9	:	(1)	17
Winneshiek	-	1	:	22	61	:	4	(17)	22	1	:	18
Total	3	-	-	744	842	7	120	80	303	:	4	405
NORTHWEST UNIT												
Cerro Gordo	1	i	:	:	:	:	:	1	:	:	1	1
Emmet	:	1	:	:	:	:	:	:	;	1	1	1
Franklin	:	:	:	4 6	:	1	:	:	1	1	1	1
Humboldt	1	:	;	(1)	1	:	:	1	1	:		:
Kossuth	:	:	:	:	;	:	:	1	1	:	:	;
Lyon	:	:	;	:	:	:	;	1 9	4 4	:	*	:
Plymouth	:	:	;	:	;	:	:	:	:	:	•	1
Sioux	:	1	1	1	:	1	1	ě		:	:	:
Winnebago	;	1	1	;	1	:	:	;	1	:	1	:
Worth	:	;	1	4	:	:	:	;	:		1	(1)
Wright	1	1	1	;	:	:	:	:	:	1	1	:
				,								(1)

(Table 11 continued)												
Forest Survey Unit	Eastern	Bed	White	Soft	Hard	River				Honey-		Black
and county	redcedar	bine	bine	maple	maple	birch	Hickory	Hickory Hackberry	Ash	locust	Butternut	walnut
SOUTHEAST UNIT				1			,	,				
Appanoose	:	:	1	8	ı	:	4	7	2	:	:	2
Boone	-	;	3	49	ო	:	3	-	ည	1	:	ო
Clarke	-	:	1	Ξ	1	:	1	(3)	(3)	i	;	2
Dallas	-	:	(1)	55	(1)	:	(3)	(3)	2	£)	;	-
Davis	:	:	-	37	:	1	7	-	5	:	;	œ
Decatur	;	1	1	7	1	:	(1)	(3)	(1)	£)	:	S
Des Moines	:	ı	;	001	က	7	6	2	16	:	;	9
Guthrie	1	;	1	(1)	;	:	(1)	(1)	(1)	5	1	;
Hamilton	;	;	1	80	-	:	1	1	-	` !	1	-
Hardin	;	:	;	4	8	1	2	7	8	;	;	5
Henry	55	-	-	80	5	က	<u> 5</u>	. o	' =	i	;	61
lowa	<u></u> 1		1	12	Ξ	-	7	5	rt.	1	:	000
rensel	710	;	1	: 6	Ē	٠ ;	-	2 -	5		(1)	1 "
loffernon	Ē	5	\ F	3 5	3	\ C	•	- (5)	<u> </u>	:	Ē	0 [
Jeneralist.	<u> </u>	Ē		- 1	Ē	<u> </u>	† ;	<u></u>	٦	i	•	- 6
Yeokuk	- 4	Ē,	(E)	\c. i	Œ.	יני	4 (<u>.</u>	14	:	ŀ	200
Lee	<u>(i)</u>	-	-	4/1		- :	9 '	4	50	;	:	
Louisa	1	1	:	46	(1)	(1)	ო	3	Ξ	1	:	52
Lucas	-	1	:	21	:	;	1	-	-	:	;	9
Madison	1	:	;	ŀ	1	:	:	:	ŀ	:	:	1
Mahaska	;	1	1	104	(1)	1	9	၈	7	:	1	Ø
Marion	:	1	1	23	'n	;	ო	7	4	:	;	8
Marshall	;	1	;	G		;	0	7		:	;	15
Montoe	;	;	1	, 2	5	:		-	1 4	;	1	9
Muscatine	i	:	1	, ¢		0	- v	- α	· u	A	;	· -
Dolly		: :	: 1	8 6	· :	1 ;	۱ ۲	۱ ۲	? E	• ;	: 1	- 65
70:450;;00 0	1	;	1	J 14	(1)	()	•	(1)	Ē		1	()
Ctori	}	1	}	י כ			-		Ē	1	ł	. 7
Slory Von British	: 5	i	!	v (Ē	: <	: 4	٠,	<u> </u>	:	:	- 0
Mapallo	(11)		a	8 8	Ē		0 0	- +	2 1			2 0
Wapeno	: :	1 1	o ¦	3 =		: :	۱ ۲	- ;	- ;	1	: :	ا ٥
Mostingo	1	}	l	- 5	1 5	. "	٥	۱	; ;	1	ł	÷
Washington	:	l	ŀ	3 8		-	0	o +	2 *	:	ŀ	<u>n</u> u
Wayne	:	:	:	2 2	۰ ۱			-	- 0	:	:	nc
Total			: ;	1017	200	; 5	: 5	: 6	י פֿי	: `	: 0	2 24
Lotal	4	-		1,814	97	2	2	35	2	4	(11)	242
SCOTHWEST UNIT												c
Cass	:	!	!	1	:	:	:	:	;	:	:	n
Crawford	:	1	:	:	:	:	:	٠ ،	1	:	1	:
Liemon	۱ ۳	ì	1 5	1 8	1	1	1	٧	٠ '	:	1	1 5
Greene	-	ł	(1)	7 5	!		. 5	1 5	- 0	: 5		(E)
Milks	5 5			. £	: 1	: :	<u> </u>	(1)	۱ د	= 1	. 1	5 5
Monora		ł	;		١	:	:	(1)	1	;	;	! -
Montgomery	;	:	;	(1)	;	;	;	<u> </u>	:	;	:	· თ
Pade	:	;	:	Ξ	:	:	:	1	:	:	1	(E)
Pottawattamie	(1)	:	;	21	1	;	-	-	-	-	:	Ξ
Ringgold	<u> </u>	:	:	ဇ	;	:	:	:	:	;	;	-
Shelby	ı	:	:	1	1	:	:	1	;	1	1	თ
Taylor	;	:	:	1	1	;	1	1	:	:	:	-
Union	1	;	!	1	1	:	:	1	:	:	!	က
Woodbury	(1)	:	:	1	-	:	1	:	-	:	:	(3)
Total	2	-	(1)	56	:	:	7	4	9	2	1	2
State total	6	-	11	2,618	868	50	231	177	479	9	4	721
										Table 11 c	(Table 11 continued on next page)	ext page)

		Cotton-		Black	Red	White	Black				Other	₹
and county	Sycamore	poow	Aspen	cherry	oak	oak	locust	Willow E	Basswood	Elm har	Elm hardwoods	species
NORTHEAST UNIT	T											
Allamakee	:	47	25	17	509	407	:	5	161	48	2	1,644
Benton	(1)	41	;	(1)	18	17	:	2	-	-	:	117
Black Hawk	(1)	-	:	(1)	Ξ	9	:	(1)	-	-	:	24
Bremer	:	5	5	:	24	39	:	;	ო	-	:	125
Buchanan	(1)	2	:	(3)	17	14	:	(1)	-	-	(1)	47
Butler	:	9	2	:	10	18	:	;	i	:	1	52
Cedar	(1)	13	:	0	59	25	:	:	6	4	:	158
Chickasaw	:	2	2	:	18	37	:	;	-	ဇ	:	8
Clayton	:	17	13	30	752	467	:	-	166	55	2	2,100
Clinton	:	12	:	-	6	7	1	:	4	-	:	48
Delaware	:	=	;	9	135	98	:	:	71	31	(E)	451
Dubuque	4	247	;	9	218	124	;	:	28	34	-	877
Fayette	ı	40	0	7	240	186	:	-	98	30	-	820
Floyd	:	-	-	(1)	9	16	:	:	:	;	:	8
Grundy	:	4	:	;	:	:	:	:	:	:	1	4
Howard	;	7	-	:	19	51	:	:	5	89	:	98
Jackson	(1)	(1)	:	6	43	49	:	:	21	4	:	211
Johnson	2	74	:	(13)	41	45		:	2	2	;	221
Jones	(1)	Ξ	:	9	99	31	:	1	17	=	:	218
Linn	(1)	က	:	ღ	8	40	-	(1)	4	4	:	170
Mitchell	;	ო	:	:	:	:	:	:	:	;	:	4
Scott	2	63	:	-	36	43	:	:	ო	2	:	199
Tama	:	83	:	(1)	21	18	61	7	22	2		407
Winneshiek	:	29	8	3	153	164	:	2	55	56	:	999
Total	10	727	69	96	2,439	1,891	3	13	646	272	9	8,680
NORTHWEST UNIT	П											
Cerro Gordo	:	-	:	:	(1)	(1)	:	:	;	:	:	-
Emmet	:	-	:	:	:	:	:	:	:	:	:	-
Franklin	:	4	:	;	;	26	;	:	:	:	:	30
Humboldt	:	Ξ	:	:	-	7	:	:	2	:	:	21
Kossuth	:	79	:	:	:	7	:	•	2	:	:	88
Lyon	:	4	:	;	:	:	:	:	:	:	:	4
Plymouth	:	87	:	:	:	:	:	:	:	:	:	87
Sioux	:	4	:	;	:	:	;	:	;	:	:	4
Winnebago	:	-	:	:	:	:	:	:	:	:	(1)	-
Worth	:	Ξ	:	:	(1)	2	:	:	:	:	:	17
Wright	:	4		1	:	:	:	:			:	4
Total												

Forest Survey Unit	Svcamore	- voitor	Aspen	Black	ned Sak	White	Black	Willow Bas	Basswood	Other Fire hardwoods	Other	All
SOUTHEAST UNIT									200	i i	2000	Specie
Appanoose	(3)	83	:	(£)	33	42	:	:	က	(1)	;	19
Boone	:	28	:	-	41	16	:	ł	19	-	:	169
Clarke	:	39	:	3	9	80	:	;	ı	1	:	99
Dallas	:	21	:	(1)	က	2	:	;	£)	;	(1)	ά
Davis	3	35	:	(1)	30	99	:	1	က	(1)	:	18
Decatur	1	18	1	(1)	(1)	2	;	;	(1)	1	(1)	53
Des Moines	ო	71	:	-	89	45	:	-	თ	2	(1)	347
Guthrie	;	ა	:	:	:	:	:	ı	(1)	;	(1)	
Hamilton	:	13	:	3	Ξ	4	:	:	80	(1)	:	4
Hardin	1	5	:	1	9	2	1	:	2	(1)	;	4
Henry	ო	135	1	-	91	91	:	;	5	4	(1)	47
lowa	က	78	:	2	36	45	i	ဇ	5	2	1	ô
Jasper	i	24	:	-	7	4	1	:	2	-	:	Ö
Jefferson	8	49	;	-	35	14	:	ł	က	-	;	25
Keokuk	4	165	:	7	108	110	:	-	80	7	;	62
Lee	σ0	195	1	S	124	97	1	-	23		(1)	1.00
Louisa	-	88	1	•	34	25.	:	٠ ١	9 6	- e:	<u></u>	5 5
Licas	١.	16	ı	(1)	16	24	:	;	(1)) 1	;	ο α
Madison	:	5	1	1	! !	; ;	:	;)	ŀ	:) E
Mahaska	m	9	1	-	55	56	:	-	LC.	e	:	. 6
Marion) I	99	1	-	40	800	;	٠ ،	o 4	13.0	,	1 4
Marshall	1	24	;	. (1)	, ru	, r	;	(1)	٠ ،	}	;	ō œ
Monroe	:	45	:	-	49	43	:	<u></u> 1	l m		;	17
Muscatine	S	2/9	1	ო	26	63	:	;	_	2	;	32
Polk	:	10	;	(1)	(1)	21	;	:	:	(1)	1	, co
Poweshiek	(1)	43	;	, -	34	56	1	(1)	-	(1) (1)	;	12
Story	<u>)</u> 1	4	;	1	2	-	1	<u>`</u>	:	<u>)</u> 1	:	÷
Van Buren	-	46	:	က	62	54	:	;	17	က	(1)	28
Wapello	8	72	1	-	64	99	;	;	2	-]	31
Warren	1	31	:	:	:	(1)	;	1	;	;	:	4
Washington	2	93	1	-	46	48	1	-	80	4	!	35
Wayne	:	12	:	(1)	13	23	1	;	-	i	:	7
Webster	-	13	1	-	31	7	:	:	17	-	:	10
Total	39	1,585	-	31	1,124	1,079		6	179	99	-	6,59
SOUTHWEST UNIT						3						
Cass	!	, ,	1	1	ŀ	Ē,	:	:	!	;	:	
Crawford	:	4 r	:	:	۱ ٬	- 0	:	:	:	:	ı	•
Fremon	:	ဂဖ	!	1	n (n (•	:	1 5	۱ ۲	:	- c
Greene	:	0 5	:	:	V 7	νç	•	:	<u> </u>	- ç	1 5	י ני
Mile	:	342 16	: :	: :	- c	2 °	:	: :	(11)	5 5	(11)	n c
Monoga		2 5	:		· -	0 4		;	:	25	:	, 5
Montgomery	;	3 1	1	ŀ		. 5	1	;	;	E	:	-
Pace	1	-	:	(1)		-	1	ı	:	£	:	•
Pottawattamie	;	4	:	1	· 60	-	:	:	-	<u> </u>	-	4
Ringgold	1	-	:	:	-	2	:	;	(1)	1	1	
Shelby	1	1	1	:	:	(1)	!	:	:	;	:	
Taylor	1	:	:	1	;	1	1	;	-	:	;	
Union	:	1	1	:	:	:	1	:	:	1	١	က
Woodbury	1	84	:	(1)	2	(1)	:	1	:	:	:	8
Total		763	-	(1)	16	28	1	:	4	11	2	97
0.444	ŀ											

Table 12.--Sawtimber removals from timberland for industrial roundwood by Forest Survey Unit, county, and species group, Iowa, 1994

(In thousand board feet) 1/

Forest Survey Unit	Eastern	Hed	White	SOIL	Hard	INA				Honey-		Black
and county	redcedar	pine	pine	maple	maple	birch	Hickory	Hickory Hackberry	Ash	locust	Butternut	walnut
NORTHEAST UNIT												
Allamakee	:	1	;	249	779	;	75	23	180	9	2	458
Benton	-	:	;	107	-	;	(2)	6	10	1	-	13
Black Hawk	(2)	1	;	S	-	:	:	2	ဇ	:	_	_
Bremer	:	;	;	61	57	;	12	27	27	8	:	4
Buchanan	-	;	;	21	-	:	:	2	ဇ	:	-	(C)
Butler	:	:	;	10	29	;	9	13	10	1	;	1
Cedar	:	;	:	33	57	-	10	4	13	:	;	62
Chickasaw	1	;	;	10	29	:	9	13	20	:	:	_
Clayton	;	;	:	195	1,222	:	119	99	304	;	4	520
Clinton	;	;	;	15	12	;	5	9	1	;	:	c
Delaware	;	;	;	45	84	-	8	17	103	:	2	167
Dubuque	;	;	:	161	126	က	30	4	53	;	;	77
Fayette	;	;	;	46	416	:	27	31	136	:	ო	233
Floyd	;	;	;	S	14	:	9	7	2	:	:	_
Grundy	:	1	1	:	:	;	}	;	1	1	;	1
Howard	:	:	;	ღ	;	9	:	;	26	1	•	_
Jackson	:	;	;	129	58	-	25	13	27	1	:	128
Johnson	:	1	}	102	-	7	19	19	12	;	;	55
Jones	;	1	}	63	97	-	12	10	34	:	:	88
Linn	(2)	1	;	223	2	:	2	2	30	1	1	59
Mitchell	:	1	}	2	:	;	}	;	1	1	;	_
Scott	;	;	;	123	2	80	19	20	17	:	;	_
Tama	-	;	;	914	-	:	8	26	23	;	2	78
Winneshiek	:	:	}	84	235	;	14	2	84	:	;	109
Totaí	3	-	;	2,614	3,223	21	399	308	1,130	:	16	2,060
NORTHWEST UNIT												
Cerro Gordo	;	;	:	:	;	;	;	;	;	:	ì	1
Emmet	;	:	}	1	}	;	1	•	1	1		:
Franklin	;	;	;	:	1	:	:	:	1	1	1	1
Humboldt	;	;	;	-	1	;	}	:	;	;	:	;
Kossuth	;	:	;	:	;	;	;	9	1	:	8 6	:
Lyon	;	:	1	:	1	:	:	1	1	;	3	1
Plymouth	:	:	;	;	;	;	;	:	:	;	:	:
Sioux	;	;	;	;	1	:	:	:	1	:	:	:
Winnebago	1	;	;	;	;	;	1	;	;	:	;	1
Worth	;	;	;	14	;	:	1	;	:	:	:	_
Wright	:	*	1	1	;	:	;	;	:	:	:	1
Tabel		;	;	Ţ	;	:	:	;	:	:	0 0	

State State Work State State Work State State Work State State Work State State Work State State Work State State Work State State Work State State Work State State Work State State Work State Sta	(Table 12 continued)												
Column C	Forest Survey Unit	Eastern	Bed :	White	Soft	Hard	River		-		Honey-	:	Black
1	and county	redcedar	bine	bine	шаріе	maple	DICU	TICKOLY	часкреглу	Ash	locust	Butternut	walunt
1	SOUTHEAST UNIT				0			:		!			,
[2] 199 11	Appanoose	:	:	ı	242	1	:	14	7	18	:	:	25
1	Boone	-	:	0	189	Ξ	:	(2)	9	18	:	:	15
(2)	Clarke	-	:	1	44	1	;	:	-	2	1	:	80
(2)	Dallas	-	:	-	84	-	;	-	-	6	-	:	က
(2) (2) (3) (4) (5) (5) (5) (7) (8) (8) (8) (9) (9) (9) (9) (9) (9) (9) (9) (9) (9	Davis	;	;	S	141	;	:	8	9	19	:	:	34
(2) 3 17 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Decatur	:	:	;	7	;	1	-	-	-	-	:	35
(2) (2) (3) (4) (5) (5) (6) (7) (8) (8) (8) (8) (9) (9) (9) (9) (9) (9) (9) (9) (9) (9	Des Moines	:	:	;	387	Ξ	7	34	19	64	:	1	53
(2) 3 3 11 1 12 49 22 9 9 (2) 2 3 31 1 1 1 12 49 35 44 (2) 2 3 31 1 1 1 12 14 33 27 37 21 (3) 3 11 1 1 1 1 1 1 1 1 4 1 1 1 1 1 1 1 1	Guthrie	:	;	:	-	:	:	-	-	-	-	:	:
(2)	Hamilton	:	;	1	31	9	;	;	:	က	:	;	က
(2) 3 3 311 1 12 49 35 44 286 1 1 12 13 14 15 15 17 37 21	Hardin	:	ł	ŀ	17	0	;	o	28	6	:	:	-
(2)	Henry	(2)	m	e	311	-	12	49	35	44	:	:	87
(2)	CMC	ĵ) ;)	206		įď	27	3 6	5	1	1	6 6
(2) (2) (2) (3) (3) (4) (5) (5) (5) (5) (7) (7) (7) (7) (7) (7) (7) (7) (7) (7	lacher	(6)	:	;	98	1 -)	j	3 "	7 -		. •	6 6
(2) (2) (2) (805 2 1 (4) 54 49 54 11 12 1 14 79 11 14 79 11 79	lofferson.	9 6	•	•	25.00	- •	ć	ų	5	- 6	1	-	3 6
(2) (2) (3) (4) (4) (5) (5) (6) (7) (7) (7) (7) (7) (7) (7) (7) (7) (7	Jenerson	(F	- 6	- 6	- CC	- ((2)	2 ;	(2)	3 ;	:	1	9
(2) 3 1,815 10 5 63 14 79 1 1 1 12 1 4 79 400 2 400	Keokuk	- :	(<u>k</u>	(<u>K</u>	909	N :	= '	2 5	49	% !	:	:	8
1	Lee	(2)	ო	က	1,815	9	വ	63	4	79	:	:	140
1	Louisa	:	:	:	177	-	-	12	-	4	:	:	9
1	Lucas	-	i	:	80	i	;	;	9	5	:	:	52
1	Madison	:	:	;	:	;	;	;	;	;	:	:	:
Column	Mahaska	:	:	1	400	8	:	24	13	27	:	:	Ξ
Column	Marion	;	:	,	80	Ę	1	; -	8	i -	:	:	: α
Column	Marchall	1	1	:	3 %	9 0	:	. 0	22	9 0		1	-
(27)	Monto	1	1	1 1	3 6	n -		hч	j u	n 4	1	1	- [
(2) 239	Mornoe	l	ł	1	000	- ‡	1	. מ	5	2 9	; ;	1	ď
(2)	Muscallife	ł	ł	1	927	=		6	5	2 +	<u>†</u>	•	o c
(2)	¥5.	•	1	1	8 8		¹ ⁷	, (۱ ۹	- ,	•	•	Λί
(2)	Powesniek	:	:	:	7 '	N (-	n	Ŋ	- (:	:	4,
(2)	Story	1 }	:	:	9	21	: '	1	:	2	:	:	က
1	Van Buren	(2)	:	: 3	239	-	N	21	က	51	:	:	97
1 1 2 3 32 23 38	Wapello	:	:	41	310	-	:	/	9	56	1	:	37
5 6 56 6,997 102 51 424 386 641 17 1,1 1 1 103 7 102 51 424 386 641 17 1 1,1 1	Warren	:	:	1	43	:	:	1	:	:	:	:	1
5 6 56 6,997 102 51 424 356 641 17 1,1 1 1 1 7 1 1,2 1 1,1 1 1,1 1 1 1 78 1 <t< td=""><td>Washington</td><td></td><td>:</td><td>1</td><td>397</td><td>Ø</td><td>ო</td><td>35</td><td>23</td><td>38</td><td>:</td><td>1</td><td>82</td></t<>	Washington		:	1	397	Ø	ო	35	23	38	:	1	82
5 6 56 6,997 102 51 424 356 6411 17 1 11 1 1 1 78 1	Wayne	•	:	1	85	:	:	:	2	9	1	:	54
5 6 6,997 102 51 424 356 641 17 1,11	Webster	:	:	:	103	7	:	:	:	10	:	:	9
1	Total	5	9	26	6,997	102	21	424	356	641	17	-	1,145
ntd	SOUTHWEST UNIT												
nt	Cass	:	:	1	:	;	:	1	1	:	:	:	9
nnt	Crawford	:	1	1	!	:	1	1	ı	:	1	:	ŀ
and (27) (2	Fremont	:	:	1	1	:	:	;	9	:	1	:	:
attamie (2/) (2/) 2 2 31 2	Greene	-	:	-	78	1	1	1	:	ღ	1	:	8
attamie (2/) (2/)	Harrison	: ;	:	:	4 ;	1	:	2	N	9	01	ı	20
attamie (2/) (2/)	Mills	(2)	:	1	(2)	1	:	1	:	:	:	:	25
adtamie (2/)	Monona	:	1	1	1	1	:	:	-	:	:	:	9
attamie (2/) (2/) 5 5 5 5	Montgomery	:	:	!	(2)	:	1	1	:	1	1	1	9
attamie (2/) 80 5 5 5 5 11 //	Page	:	:	:	(5)	:	1	:	:	:	:	:	-
old	Pottawattamie	(2)	:	:	8	:	:	S	Ω	ß	2	:	25
Dury (2/)	Ringgold	:	1	!	=	1	1	:	1	:	:	:	വ
Dury (2/)	Shelby	:	1	1	1	:	:	:	1	:	:	:	9
Dury (2/)	Taylor	:	ŀ	!	1	1	:	!	1	:	:	:	ഹ
Dury (2/)	Union	:	:	:	1	1	:	:	:	1	:	:	4
1 2 1 214 7 17 40 10 6 57 9,841 3,325 72 829 681 1,812	Woodbury	(2)	:	:	:	1	:	:	:	2	:	:	-
10 6 57 9,841 3,325 72 829 681 1,812	Total	2	:	-	214		:	7	17	40	^	:	317
	State total	10	ဖ	57	9,841		72	829	681	- 1	24	17	3,524

Forest Survey Unit		Cotton-		Black	Red	White	Black				Other	A
and county	Sycamore	poom	Aspen	cherry	oak	oak	locust	Willow E	Basswood	Elm ha	Elm hardwoods	species
NORTHEAST UNIT	L.											
Alfamakee	;	268	26	99	1,868	1,598	;	19	624	187	00	6,501
Benton	-	233	;	-	29	61	;	7	4	2	;	521
Black Hawk	-	8	:	-	39	21	:	(27)	4	2	:	89
Bremer	:	31	20		98	142	1	;	10	4	:	482
Buchanan	-	28	;	-	62	53	;	(2)	4	ო	(2/)	184
Butler		34	10	:	38	99	:	;	:	;	:	214
Cedar	-	74	;	10	219	94	;	;	35	15	;	627
Chickasaw	:	13	10	1	29	135	;	;	က	1	:	317
Clayton	:	100	90	115	2,764	1,746	:	က	644	214	7	8,062
Clinton	;	69	:	9	32	26	1	;	14	S	:	204
Delaware	:	99	;	37	498	320	;	;	275	122	-	1,754
Dubuque	4	234	;	22	694	403	1	;	110	65	ന	1,990
Fayette	:	228	38	56	882	691	;	က	334	116	2	3,211
Floyd	;	8	5	2	21	58	:	;	:	i	:	128
Grundy	:	22	:	:	;	:	:	•	:	:	:	22
Howard	:	41	က	:	69	185	;	}	17	32	:	377
Jackson	-	-	;	34	157	182	;	;	82	16	:	853
Johnson	7	425	;	2	150	166	:	:	6	80	:	985
Jones	-	61	:	23	243	114	;	;	29	42	:	857
Linn	-	17	1	10	126	148	4	(2/)	16	14	;	658
Mitchell	1	18	;	;	;	;	;	:	:	:	:	21
Scott	80	363	:	2	132	158	;		10	6	1	874
Tama	;	476	;	-	92	64	6	10	21	18	;	1,727
Winneshiek		165	33	10	561	649	:	9	213	101	:	2,265
Total	25	2,983	264	372	8,851	7,081	12	20	2,496	989	22	32,920
NORTHWEST UNIT	_											
Cerro Gordo	:	4	:	:	-	-	:	:	:		:	9
Emmet	:	2	;	:	;	;	;	4	1	1	*	2
Franklin	;	22	;	1	1	96	;	:	;	:	:	116
Humboldt	:	65	:	1	2	56	;	;	10	:	:	103
Kossuth	:	459	1	1	;	56	:	:	6	;	:	493
Lyon	:	22	:	:	:	:	1	:	:	:	:	22
Plymouth	:	505	;	1	;	;	;	;	;	:	;	505
Sioux	;	22	;	1	:	;	;	:	:	:	:	22
Winnebago	:	9	:	1	:	;	;	:	;	:	-	7
Worth	•	62	1	1	-	6	;	:	;	:	:	87
Wright	;	22	1	1			;	;	:	1	:	22

SOUTHEAST UNIT Appanoose Boone Clarke Dallas Davis Decatur Des Moines Guthrie Harriiton Herdin		poow	Aspen	cherry	oak	oak	ocust	Willow	Basswood	Other Elm hardwoods	Other	Species
Appanoose Boone Clarke Dallas Davis Decatur Des Moines Guthrie Hamilton Hendin												
Boone Clarke Dallas Davis Decatur Des Moines Guthrie Harmilton Harmit	-	191	:	7	121	155	:	:	Ξ	8	:	789
Clarke Dallas Davis Decatur Des Moines Guthrie Harrilton Henry	:	164	1	က	149	09	:	•	75	Ŋ	:	9
Dallas Davis Decatur Des Moines Guthrie Harrilton Herory	:	227	:	-	21	9	:	:	:	:	:	ĕ
Davis Decatur Des Moines Guthrie Harnilton Herdin	:	120	:	-	<u></u>	80	!	1	7	1	-	ã
Decatur Des Moines Guthrie Harnilton Hardin Henry	-	185	1	0	109	249	:	:	Ξ	7	:	7
Des Moines Guthrie Harnilton Hardin Henry	1	104	1	-	-	7	1	1	-	;	-	~
Guthrie Harnilton Hardin Henry	Ξ	389	:	2	261	170	ł	4	32	50	(2)	4,
Hamilton Hardin Henry	:	58	1	1	1	1	:	:	-	:	-	• •
Hardin Henry	:	72	1	-	39	15	:	:	31	-	:	ผ
Henry	;	92	:	1	17	17	:	;	6	7	:	¥
•	12	765		9	335	338	ŧ	:	48	17	(2)	2,0
Iowa	Ξ	448	!	6	131	168	;	13	38	19	;	1,3
Jasper	:	138	;	က	56	16	:	:	7	S	:	ĕ
Jefferson	9	285	;	2	116	151	:	1	10	က	:	1,0
Keokuk	16	951	1	7	396	403	;	2	30	56	:	2.7
Lee	9	1.103	1	20	463	358	1	4	88	56	(2)	4.2
Louisa	က	188	i	2	123	124	;	:	25	12	<u></u> '	. α
Lucas	:	95	;	-	22	88	:	:	2	! !	:	ñ
Madison	;	8	t	· ;		:	:	:	۱ :	;	i	•
Mahaska	10	470	:	6	201	204	;	4	18	10	:	1
Marjon	:	380	;	4	148	101	:	:	16	8	١	00
Marshall	;	139	:	-	19	18	;	-	0	9	:	Ñ
Monroe	:	261	:	4	181	156	;	:	12	ო	;	7
Muscatine	21	442	;	=	280	229	:	;	56	50	:	1,3
Polk	:	09	;	(2)	-	2/	1	;	1	(2)	;	Ņ
Poweshiek	2	251	:	4	125	86	1	-	4	· —	:	ũ
Story	;	22	;	;	00	2	i	1	1	1	;	•
Van Buren	2	262	:	10	228	203	:	:	99	12	(2)	1,2
Wapello	7	418	:	4	236	240	1	:	18	က	1	1,3
Warren	:	177	:	;	:	-	ì	;	1	;	;	Ñ
Washington	80	538	:	9	170	176	:	2	30	16	:	1,5
Wayne	:	7.1	:	-	48	82	:	:	၉	1	1	322
Webster	:	74	:	3	112	27	:	:	65	2	:	4
Total	149	9,094		121	4,135	3,970	:	36	069	216	4	28,2
SOUTHWEST UNIT												
Cass	ŀ	1	:	:	:	-	:	:	ŀ	1	:	•
Crawford	;	24	:	:	1	2	:	:	ı	:	:	•
Fremont	:	30	:	1	တ ၊	6	1	ŀ	: '	1	:	
Greene	:	45	;	:	7	9	1	:	8	4		~
Harrison	:	3,134	1	1	വ	32	1	:	7	38	7	ස් ස්
Mills	ı	72	1	1	12	13	1	:	:	(2)	:	= 1
Monona	:	6/9	1	1	Ω (14	:	:	1	- :	:	ŏ
Montgomery	;	1	1	1	21	-	ı	;	I	(2)	:	•
Page	:	വ	:	-	21	4	1	1	1	(2)	:	•
Pottawattarnie	:	25	:	:	10	4	:	:	2	:	2	200
Ringgold	:	വ	:	:	2	7	;	:	2	:	:	• •
Shelby	:	1	1	1	:	-	1	:	:	:	:	•
Taylor	;	:	1	:	:	:	:	:	9	1	:	
Union	:	1 5	1	۱ '	: (۱ '	1	1	1	:	:	` `
Woodbury		483		-	9	-	:	:	:	:	:	4
Total	-	4,391	1	7	8	101	:		16	44	-	5,2
State total	175	17,661	264	495	13,050	11,307	12	98	3,220	1,249	33	67,7

Table 13.--Residue generated by industrial roundwood harvesting by Forest Survey Unit, county, and species group, Iowa, 1994 1/

(In thousand cubic feet)

Forest Survey Unit	Eastern	Red	White	Soft	Hard	Hiver				Honey-		Black
and county	redcedar	pine	pine	maple	maple	birch	Hickory Hackberry	ackberry	Ash	locust	Butternut	walnut
NORTHEAST UNIT												
Allamakee	:		:	57	176	i	17	2	42	;	(1)	28
Benton	(1)	:	;	24	(1)	:	(1)	2	2	:	(1)	2
Black Hawk	(1)	:	:	-	(1)	:	:	(1)	-	;	(1)	(1)
Bremer	:	:	:	14	13	:	ဗ	9	9	:		(1)
Buchanan	(1)	:	:	5	(1)	:	:	(1)	-	:	(1)	(1)
Butler	:	:	:	2	7	:	-	က	2	:	:	:
Cedar	:	:	:	8	13	(1)	2	-	က	:	:	80
Chickasaw	:	ì	;	2	7	:	-	က	2	:	;	(1)
Clayton	;	;	;	44	281	:	28	13	70	:	-	46
Clinton	;	:	;	4	3	!	-	-	က	:	:	(1)
Delaware	:	;	:	6	19	(1)	2	4	20	:	(1)	20
Dubuque	:	i	:	19	25	(1)	ဗ	-	6	:	:	7
Fayette	:	:	;	1	96	:	9	7	31	:	-	24
Floyd	;	:	:	-	ဗ	:	-	2	-	*	:	3
Grundy	:	;	:	:	;	1	1	1	;	:	:	:
Howard	:	i	:	-	;	1	:	1	9	:	:	(1)
Jackson	:	1	;	59	13	(13)	9	က	9	:	:	2
Johnson	:	;	;	24	(1)	2	4	4	က	:	:	7
Jones	:	:	:	10	22	(1)	က	2	2	:	:	=
Linn	(1)	1	:	49	(1)	:	(1)	-	7	:	(1)	7
Mitchell	;	:	:	(1)	:	:	;	:	:	:	:	(1)
Scott	:	:	:	28	(1)	5	4	2	4	:	:	(1)
Tama	-	:	;	204	(1)	:	2	9	2	:	(1)	9
Winneshiek	:	:	:	19	52	1	3	(1)	19	1	:	4
Total	2		-	562	733	4	88	7.1	252	1	4	176
NORTHWEST UNIT						i						
Cerro Gordo	:	:	:	;	;	:	:	:	:	:	1	:
Emmet	:	:	:	;	:	1	1	:		:	:	:
Franklin	;	:	:	:	:	1	:	:	;	:	;	:
Humboldt	:	:	;	(1)	:	:	:	1	:	:	:	:
Kossuth	1	†	1	1	;	:	:	:	•	:	:	:
Lyon	:	:	:	;	:	1	:	*	:	:	:	:
Plymouth	:	:	:	;	:	:	:	:	:	:	:	:
Sioux	;	:	:	;	;	1	:	1	:	:	:	1
Winnebago	:	:	:	;	:	:	:	:	:	•	:	:
Worth	;	:	:	3	:	:	0 0	:	:	:	:	(1)
Wright	:	:	:	1		1	1	1	:	:	:	:
		:		4	:	:	:	:	:	:	:	(15)

Forest Survey Unit		Cotton-		Black	Red	White	Black				Other	¥
and county	Sycamore	poom	Aspen	cherry	oak	oak	locust	Willow	Basswood	Elm hardwoods	spoom	species
NORTHEAST UNIT												
Allamakee	:	27	22	12	322	197	:	4	131	43	2	1,086
Benton	(1)	23	;	(1)	12	10	1	2	-	-	:	80
Black Hawk	(1)	-	;	(1)	7	4	1	(1)	-	(1)	;	16
Bremer	:	ო	5		15	25	1	1	2	-	:	95
Buchanan	(1)	ო	1	(1)	=======================================	6	1	(1)	-	-	(1)	33
Butler	:	ო	2		7	12	1		:	:	1	40
Cedar	(1)	7	;	2	37	15	:	1	80	က	:	109
Chickasaw		-	2	;	12	24	;	1	-	9	;	61
Clayton	:	10	Ξ	25	474	252	:	-	138	48	2	1,443
Clinton	:	7	;	-	9	5	:	1	ო	-	:	35
Delaware	*	7	;	6	84	20	1	;	64	24	(3)	312
Dubuque	(1)	2	:	4	114	69	:	1	25	11		280
Fayette	:	23	6	9	152	108	1	-	74	27		575
Floyd	:	-	-	(1)	4	10	;	;	;	;	;	24
Grundy	:	2	:		;	;	1	1	:	;	;	2
Howard	:	4	-	;	12	33	1	1	4	7	6	68
Jackson	(1)	(1)	;	7	27	27	1	1	19	က	:	142
Johnson	2	43	1	(1)	27	30	1	1	2	2	:	149
Jones	(13)	5	ŀ	5	41	19	;	:	16	9	:	146
Linn	(13)	2	;	2	21	24	-	(1)	4	ෆ	:	123
Mitchell	;	2	•	;	1	;	1	:	;	;	:	2
Scott	2	37	;	-	24	28	1	;	2	2	1	139
Tama	:	48	:	(1)	13	=	5	2	2	4	;	314
Winneshiek	:	17	8	-	96	82	1	-	44	23	:	370
Total	5	280	61	77	1,518	1,035	8	Ξ	544	214	5	5,646
NORTHWEST UNIT	П											
Cerro Gordo	:	(1)	:	:	(1)	(1)	;	1	8	:	:	-
Emmet	:	(1)	1	:	1	:	1	ì	*	:	:	3
Franklin	:	2	;	;	:	17	:	1	;	:	:	19
Humboldt	;	7	;	;	(1)	2	1	1	2	;	:	14
Kossuth	;	47	1	:	;	2	1	1	2	;	:	54
Lyon	:	2	;	;	;	;	:	:	ï	;	1	2
Plymouth	:	52	:	;	1	†	1	;	-	;	:	52
Sioux	:	2	;	1	;	;	;	:	:	:	:	2
Winnebago	:	-	;	;	1	:	1	1	1	:	(1)	_
Worth	:	9	1	:	(1)	8	1	*	:	;	:	Ξ
Wright	:	2	:	:	;	:	1	:	8 9	:	;	2

rotest survey offit	Sveamore	wood	Aspen	Cherry	oak oak	a keo	Diack	Willow Ba	Racciwood	omer Plan hardwoods	Omer	All
SOUTHEAST UNIT											200	20000
Appanoose	(£)	8	:	(£)	52	58	1	:	ო	(1)	:	
Boone	:	17	:	- :	27	თ	:	:	17	-	:	
Clarke	:	ღ :	:	€3	4 (с о ·	:	:	: ;	:	:	
Davis	1 5	2 5	:	Ē	ΝÇ	- 5	:	:	Ē	; ;	£	
Departur		. +		25	5	¥	•	:	n <	Ē	! 5	
ecalui Sec Meines	. "	- 6	•	<u> </u>	3	(1)	:	: -	<u> </u>	: •	<u> </u>	
Des Montes Guthric	າ	n (:	-	5	0,7	:	-	` .	4	Ξ:	
Guille	:	1 0	•	! <	1 1	; ‹	:	:	(3)	: 3	<u>(E</u>	
namilion Leadin	:	~ 0	:	(2)	~ (n (:	:	~ (Ē	:	
	: '	۱۹	:	: -	ا د	י ני	:	:	N :	<u>E</u>	1 5	
Henry	n (ઈ (:	- (۶,	2	:	: '	Ε'	4	<u>E</u>	
lowa	m	46	:	N ·	EN 1	87 6	:	m	o (4	:	
Jasper	: '	14	:	- 1	ဂ (m (:	:	8	_	:	
Jefferson	N	57	:	- 1	Z :	/2	:	:	N :	-	:	
Keokuk	4	86	:	Ø	71	72	:	-	7	9	:	
Lee	7	107	:	4	75	28	:	-	19	S	3	
Louisa	-	19	:	-	55	55	;	:	9	-	1	
Lucas	:	6	:	E	10	16	:	;	(3)	:	:	
Madison	:	£)	:	:	;	:	:	:	;	;	:	
Mahaska	Q	48	;	-	36	36	:	-	4	0	;	
Marion	:	39	:	-	56	18	:	:	4	5	:	
Marshall	:	7	:	. 5) e:	e e	;	(1)	۰ ۵	-	:	
Monroe		27	:	-	8	, «	:		l et	- -	:	
Muscatine	LC.	45	:	· en	G.	41	:	:	9	· uc	:	
Polk) ;	9 40	:	3	3 5	4	:	:	٠ :	3.0	:	
Poweshiek	(1)	98	:	-	3	16	:	(1)	-	ΞΞ	:	
ton,		3 0	1	٠ :	-	5 5	:	()	- :	(1)	1	
Van Buren	•	1 %	;	C)	- 14	60	;	:	5	e	(1)	
Wapello	8	43	:	-	42	43	:	;	4	-	1	
Warren	:	18	:	:	;	5	:	:	:	;	:	
Washington	Q	55	:	-	30	31	:	-	7	4	:	
Wavne	:	7	ì	(1)	o	15	:	:	-	:	;	
Webster	:	. σο	:	-	8	i ro	:	:	. 5	-	:	
Total	35	918	:	27	708	677	:	80	157	46	-	
SOUTHWEST UNIT												
Cass	:	:	:	;	:	(1)	;	:	;	;	1	
Crawford	:	2	:	:	:	_	:	:	:	:	:	
Fremont	:	ო	:	:	2	Ø	:	:	:	:	:	
Greene	:	ო	:	:	-	-	:	:	(1)	-	:	
Harrison	:	321	:	;	-	9	:	;	(1)	6	(3)	
Mills	:	4	:	:	2	0	:	:	:	(1)	:	
Monona	:	69	:	:	-	ო	:	;	:	(1)	:	
Montgomery	:	1	:	:	(1)	(1)	:	:	;	(1)	;	
Page	:	(1)	:	(1)	(1)	-	:	:	:	(1)	:	
Pottawattamie	1	က	:	:	α	-	:	:	-	:	-	
Ringgold	:	(1)	:	;	(1)	-	:	;	(1)	:	:	
Shelby	:	:	:	;	:	3	:	:	:	:	:	
Taylor	:	;	•	:	:	;	:	:	-	1	;	
Union	:	:	:	:	;	;	:	;	;	:	:	
Woodbury	:	20	;	(1)	-	(1)		:	:	:		
Total	:	447	:	(1)	=	18	:	:	4	10	2	297
											ĺ	

Table 14.--Residues produced at primary wood-using mills by type of material, type of use, and Forest Survey Unit, Iowa, 1994

(In thousand tons, green weight)

					Wood residue	sidue				
Forest Survey Unit	Total all material	material	Coarse 1/	e 1/	Fine 2/	2/	Total wood residue	l residue	Bark	¥
and type of use	Softwood	Hardwood	Softwood	Hardwood	Softwood	Hardwood	Softwood	Hardwood	Softwood	Hardwood
NORTHEAST UNIT										
Fiber products	1	18.10	!	17.51	1	1	1	17.51	1	0.59
Industrial fuel	0.01	13.78	0.01	5.19	1	7.55	0.01	12.74	(4/)	1.04
Domestic fuel	0.01	26.10	0.01	23.92	1	1	0.01	23.92	(4/)	2.18
Miscellaneous 3/	0.01	79.86	1	24.38	0.01	28.39	0.01	52.77	(4)	27.09
Not used		2.06	1	1.94	1	0.08	:	2.02	1	0.04
Total	0.03	139.88	0.02	72.94	0.01	36.02	0.03	108.95	(4/)	30.93
NORTHWEST UNIT										
Domestic fuel	1	1.20	:	0.84	1	1	;	0.84	4 4	0.36
Miscellaneous 3/	1	1.19	1	0.35	1	69.0	:	1.04		0.15
Total	-	2.37	-	1.18	-	69.0	1	1.87	8	0.50
SOUTHEAST UNIT										
Fiber products	(4/)	29.16	(4/)	24.31	1	1	(4/)	24.31	1	4.85
Industrial fuel	0.01	9.51	0.01	8.62	(4/)	0.01	0.01	8.63	(4/)	0.88
Domestic fuel	0.14	18.54	0.10	13.86	(4/)	0.02	0.10	13.89	0.04	4.65
Miscellaneous 3/	0.04	50.88	(4/)	4.90	0.04	32.94	0.04	37.84	(4/)	13.04
Not used	0.01	2.37	0.01	1.45	1	0.46	0.01	1.90	(4/)	0.47
Total	0.20	110.45	0.11	53.14	0.05	33.43	0.16	86.56	0.04	23.89
SOUTHWEST UNIT										
Industrial fuel	1	3.13	1	1.78	1	0.59	1	2.37	1	0.76
Domestic fuel	(4/)	1.30	(4/)	99.0	1	0.38	(4/)	1.04	1	0.26
Miscellaneous 3/	(4/)	4.65	;	2.64	(4/)	06.0	(4/)	3.53	:	1.12
Not used	(4/)	0.02	1	1	-		-	-	(4/)	0.02
Total	0.01	9.10	(4/)	5.08	(4/)	1.87	0.01	6.94	(4/)	2.16
ALL UNITS										
Fiber products	(4/)	47.26	(4/)	41.82	1	1	(4/)	41.82	;	5.44
Industrial fuel	0.02	26.40	0.02	15.58	(4/)	8.15	0.05	23.73	(41)	2.67
Domestic fuel	0.15	47.14	0.11	39.28	(4/)	0.40	0.11	39.69	0.04	7.45
Miscellaneous 3/	90.0	136.56	(4/)	32.26	90.0	62.92	90.0	95.17	(4/)	41.39
Not used	0.01	4.45	0.01	3.38	-	0.54	0.01	3.92	(41)	0.53
Total	0.25	261.81	0.14	132.33	90.0	72.00	0.20	204.33	0.05	57.48
1/ Suitable for chipping such as slabs, edgings, veneer cores, etc.	ng such as sla	abs. edainas.	veneer cores. et							

Suitable for chipping such as slabs, edgings, veneer cores, etc.
 Not suitable for chipping such as sawdust, veneer clippings, etc.
 Livestock bedding, mulch, small dimension, and specialty items.
 Less than 5 green tons.

The United States Department of Agriculture (USDA) is a diverse organization committed to equal opportunity in employment and program delivery. USDA prohibits discrimination in its programs on the basis of race, color, national origin, sex, religion, age, disability, political affiliation, and familial status. Persons believing they have been discriminated against should contact the Secretary, U.S. Department of Agriculture, Washington, DC 20250, or call 800-245-6340 (voice), or 202-720-1127 (TDD).

Piva, Ronald J.

1996. **Iowa timber industry—an assessment of timber product output and use, 1994**. Resour. Bull. NC-182. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station. 38 p.

Discusses recent Iowa forest industry trends; production and receipts of industrial roundwood; and production of saw logs, veneer logs, and pulpwood in 1994, and compares findings with earlier surveys. Reports on the quantity, type, and disposition of wood and bark residues generated by the primary wood-using industry.

KEY WORDS: Industrial roundwood, saw logs, veneer logs, pulpwood, production, receipts, residues.

Our job at the North Central Forest Experiment Station is discovering and creating new knowledge and technology in the field of natural resources and conveying this information to the people who can use it. As a new generation of forests emerges in our region, managers are confronted with two unique challenges: (1) Dealing with the great diversity in composition, quality, and ownership of the forests, and (2) Reconciling the conflicting demands of the people who use them. Helping the forest manager meet these challenges while protecting the environment is what research at North Central is all about.

